

SCANIA BUSSEER OMNILINK CK230 UB 4X2

EURO 4 (2006 OG EFTER)



MOTOR DC9 16 230 Euro 4
Kapacitet: 32-34 liter

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40

Skift alle 45000 km

ANVEND	KLIMA
Regionalt	Koldt

PRODUKTANBEFALING 1		
Armado Synth LSP Ultra 5W-30		

Skift alle 45000 km

ANVEND	KLIMA
Regional, forlænget	Moderat

PRODUKTANBEFALING 1		
Armado Synth 10W-40		

Skift alle 60000 km

ANVEND	KLIMA
Bybus	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40

Skift alle 30000 km/ 36 måneder

ANVEND	KLIMA
Bybus	Koldt

PRODUKTANBEFALING 1		
Armado Synth LSP Ultra 5W-30		

Skift alle 30000 km/ 36 måneder

ANVEND	KLIMA
Bybus, forlænget	Moderat

PRODUKTANBEFALING 1		
Armado Synth 10W-40		

Skift alle 45000 km

SCANIA BUSSEER OMNILINK CK230 UB 4X2 EURO 4 (2006 OG EFTER)



DIFFERENTIALE BAG ADA 1300

ANVEND		KLIMA
Normal (foretrukne)		Moderat
PRODUKTANBEFALING 1		
Unigear HS GL-3/GL-5 80W-90		

Skift alle 150000 km/ 36 måneder

GEAR AUTOMATISK ZF 5HP594C 5/1

Kapacitet: 15 liter (Servicepåfyldning), Kapacitet: 30 liter (Tør efterfyld)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

HYDRAULISK SYSTEM VENTILATOR

Kapacitet: 8,5 liter (Servicepåfyldning), Kapacitet: 15 liter (Tør efterfyld)

ANVEND		KLIMA
Regionalt		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Skift alle 120000 km

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1		
Armado Synth 5W-30		

Skift alle 120000 km

ANVEND		KLIMA
Bybus		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Skift alle 90000 km

ANVEND		KLIMA
Bybus		Moderat
PRODUKTANBEFALING 1		
Armado Synth 5W-30		

Skift alle 90000 km

SCANIA BUSSEER OMNILINK CK230 UB 4X2

EURO 4 (2006 OG EFTER)



SERVOSTYRING

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
ATF Dexron II-D	ATF-A	

Skift alle 120000 km

ANVEND	KLIMA
Bybus	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
ATF Dexron II-D	ATF-A	

Skift alle 90000 km

CENTRALT SMØRINGSSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

ANVEND	KLIMA
Alle konditioner	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 15+	Coolant SP 12	

Skift alle 600000 km/ 36 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.