

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



MOTOR DC13 10 Euro 5
Kapacitet: 40 liter, Filterkapacitet: 1 liter

ANVEND	KLIMA
Lang distance, alternativ, = < 45 t	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40

Skift alle 45000 km

ANVEND	KLIMA
Lang distance, alternativ, = < 45 t	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Armado Synth LSP Ultra 5W-30	Armado Synth 5W-30	

Skift alle 45000 km

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1		
Armado Synth 10W-40		

Skift alle 20000 km

ANVEND	KLIMA
Byggeplads	Koldt

PRODUKTANBEFALING 1		
Armado Synth 5W-30		

Skift alle 20000 km

ANVEND	KLIMA
Langdistance, forlænget, =<45t	Moderat

PRODUKTANBEFALING 1		
Armado Synth 10W-40		

Skift alle 90000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1		
Armado Synth 10W-40		

Skift alle 60000 km

ANVEND	KLIMA
Langdistance, =<45t	Koldt

PRODUKTANBEFALING 1		
Armado Synth 5W-30		

Skift alle 60000 km

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND Langdistance, forlænget, 45-60t		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth 10W-40		
Skift alle 60000 km		
ANVEND Langdistance, 45-60t		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth 10W-40		
Skift alle 45000 km		
ANVEND Langdistance, 45-60t		KLIMA Koldt
PRODUKTANBEFALING 1 Armado Synth 5W-30		
Skift alle 45000 km		
ANVEND Lang distance, kraftig, =<60t		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth 10W-40		
Skift alle 30000 km/ 36 måneder		
ANVEND Lang distance, kraftig, =<60t		KLIMA Koldt
PRODUKTANBEFALING 1 Armado Synth 5W-30		
Skift alle 30000 km/ 36 måneder		
ANVEND Lang distance, alternativ, 45-60 t		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 2 Armado Synth LSP 10W-40	PRODUKTANBEFALING 3 Armado Synth 10W-40
Skift alle 30000 km/ 36 måneder		
ANVEND Lang distance, alternativ, 45-60 t		KLIMA Koldt
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 5W-30	PRODUKTANBEFALING 2 Armado Synth 5W-30	
Skift alle 30000 km/ 36 måneder		



SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



DIFFERENTIALE BAG BUGSERE R 660 (6x4) (8x4)

Kapacitet: 12,5 liter

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 80000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 120000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 240000 km

ANVEND	KLIMA
Lang distance, kraftig, =<60t	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 120000 km

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



DIFFERENTIALE BAG BUGSERE RP 735 (6x4) (8x4) (6x6)
Kapacitet: 8 liter (akselgearkasse), Kapacitet: 2 liter (hvert nav)

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 240000 km

ANVEND	KLIMA
Lang distance, kraftig, =<60t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km



SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



DIFFERENTIALE BAG BUGSERE RP 835 (6x4) (8x4) (6x6)
Kapacitet: 9,3 liter (akselgearkasse), Kapacitet: 2 liter (hvert nav)

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 240000 km

ANVEND	KLIMA
Lang distance, kraftig, =<60t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km



SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



DIFFERENTIALE BAG FØRE RB 662 (6x4) (8x4)

Kapacitet: 14 liter

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 80000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 120000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 240000 km

ANVEND	KLIMA
Lang distance, kraftig, =<60t	Moderat

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 120000 km

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



DIFFERENTIALE BAG FØRE RBP 735 (6x4) (8x4) (6x6)
Kapacitet: 11,7 liter (akselgearkasse), Kapacitet: 2 liter (hvert nav)

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 240000 km

ANVEND	KLIMA
Lang distance, kraftig, =<60t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km



SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



DIFFERENTIALE BAG FØRE RBP 835 (6x4) (8x4) (6x6)
Kapacitet: 12 liter (akselgearkasse), Kapacitet: 2 liter (hvert nav)

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND	KLIMA
Langdistance, =<45t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 240000 km

ANVEND	KLIMA
Lang distance, kraftig, =<60t	Moderat

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

GEAR AUTOMATISK GA 851/852/866/867 (Allison HD) 6/1
Kapacitet: 50 liter (Overhaling kapacitet), Kapacitet: 34 liter (Servicepåfyldning)

ANVEND	KLIMA
Byggeplads	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 20000 km

ANVEND	KLIMA
Distribution	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 45000 km

GEAR MANUEL GR 905 (R) 8/1
Kapacitet: 16,5 liter

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND Byggeplads		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140		
Skift alle 80000 km		
ANVEND Byggeplads		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Unigear HS GL-3/GL-5 80W-90
Skift alle 80000 km		
ANVEND Distribution		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140		
Skift alle 120000 km		
ANVEND Distribution		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Unigear HS GL-3/GL-5 80W-90
Skift alle 120000 km		
ANVEND Langdistance, forlænget, =<45t		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	
Skift alle 360000 km		
ANVEND Langdistance, =<45t		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140		
Skift alle 240000 km		
ANVEND Langdistance, =<45t		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Unigear HS GL-3/GL-5 80W-90
Skift alle 240000 km		

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND		KLIMA
Lang distance, kraftig, =<60t		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND		KLIMA
Lang distance, kraftig, =<60t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 120000 km

GEAR MANUEL GRS 895 (R) 12/2

Kapacitet: 15 liter, Kapacitet: 17 liter (+ olieølør (luftafkølet)), Kapacitet: 16 liter (+ olieølør (væskeafkølet))

ANVEND		KLIMA
Byggeplads		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

ANVEND		KLIMA
Byggeplads		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 80000 km

ANVEND		KLIMA
Distribution		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND		KLIMA
Distribution		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 120000 km

ANVEND		KLIMA
Langdistance, forlænget, =<45t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 360000 km

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND		KLIMA
Langdistance, =<45t		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 240000 km

ANVEND		KLIMA
Langdistance, =<45t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 240000 km

ANVEND		KLIMA
Lang distance, kraftig, =<60t		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND		KLIMA
Lang distance, kraftig, =<60t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 120000 km

GEAR MANUEL GRS 905 12/2 Kapacitet: 16,5 liter

ANVEND		KLIMA
Byggeplads		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

ANVEND		KLIMA
Byggeplads		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 80000 km

ANVEND		KLIMA
Distribution		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND		KLIMA
Distribution		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 120000 km

ANVEND		KLIMA
Langdistance, forlænget, =<45t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 360000 km

ANVEND		KLIMA
Langdistance, =<45t		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 240000 km

ANVEND		KLIMA
Langdistance, =<45t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 240000 km

ANVEND		KLIMA
Lang distance, kraftig, =<60t		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 120000 km

ANVEND		KLIMA
Lang distance, kraftig, =<60t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 120000 km

GEAR MANUEL GRSO 905 12/2		
ANVEND		KLIMA
Byggeplads		Middelhavsagtigt
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 80000 km

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND Byggeplads		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Unigear HS GL-3/GL-5 80W-90
Skift alle 80000 km		
ANVEND Distribution		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140		
Skift alle 120000 km		
ANVEND Distribution		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Unigear HS GL-3/GL-5 80W-90
Skift alle 120000 km		
ANVEND Langdistance, forlænget, =<45t		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	
Skift alle 360000 km		
ANVEND Langdistance, =<45t		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140		
Skift alle 240000 km		
ANVEND Langdistance, =<45t		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Unigear HS GL-3/GL-5 80W-90
Skift alle 240000 km		
ANVEND Lang distance, kraftig, =<60t		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140		
Skift alle 120000 km		

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



ANVEND		KLIMA
Lang distance, kraftig, =<60t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90
<i>Skift alle 120000 km</i>		

KRAFTOVERFØRING		
Kapacitet: 0,5-2,5 liter		
ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube Racing 75W-140	SP Gear 1011	Syngear TDL 75W-90



SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



RETARDER Scania

Kapacitet: 7,5-7,9 liter (Førstegangsupfyldning), Kapacitet: 5-7,7 liter (Servicepåfyldning)

ANVEND		KLIMA
Byggeplads		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 120000 km

ANVEND		KLIMA
Distribution		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 80000 km

ANVEND		KLIMA
Langdistance, forlænget, =<45t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 360000 km

ANVEND		KLIMA
Lang distance, kraftig, =<60t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 120000 km

HYDRAULIKDÆMPER Opticruise

Kapacitet: 0,1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4) (2008 OG EFTER)



HYDRAULISK SYSTEM VENTILATOR

Kapacitet: 8 liter, Kapacitet: 15 liter (Førstegangsopfyldning)

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Armado Synth 5W-30		

HYDRAULISK TIPPESYSTEM FOR KABINEN

Kapacitet: 0,8 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 4036	SP Matic 2032	ATF Almirol

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Perlus H 15		

HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,4 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Skift alle 12 måneder

SERVOSTYRING

Kapacitet: 4 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
ATF Dexron II-D	ATF-A	

SCANIA R SERIER R-440 EURO 5 (6X4, 8X4)

(2008 OG EFTER)



CENTRALT SMØRINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 44 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.