

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



MOTOR D16E
Kapacitet: 42 liter

ANVEND

Krævende, meget bakket

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Armado Synth LSP 10W-40

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 12 måneder/ 400 timer/ 16000 liter forbrugt brændstof

ANVEND

Langdistance, udvidet = < 44 t, fladt/bakket, maks. 90 km/t, -/- PTO, Europa, brændstof = < 33 l/100 km

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 5W-30

PRODUKTANBEFALING 2

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 3

Armado Synth LSP 10W-40

Skift alle 100000 km/ 12 måneder

ANVEND

Langtur, =<44 t, fladt/bakket, maks. 90 km/h, -/- kraftudtag, Europa, brændstof =<33 l/100 km

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Armado Synth LSP 10W-40

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 60000 km/ 12 måneder

ANVEND

Langtur, udvidet, =<44 t, bakket, maks. 90 km/h, Europa, brændstof =<39 l/100 km

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 5W-30

PRODUKTANBEFALING 2

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 3

Armado Synth LSP 10W-40

Skift alle 75000 km/ 12 måneder

ANVEND

Langtur, =<44 t, bakket, maks. 90 km/h, Europa, brændstof =<39 l/100 km

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Armado Synth LSP 10W-40

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 50000 km/ 12 måneder

ANVEND

Langtur, 45 - -68 t, fladt/bakket, maks. 90 km/h, Europa, brændstof =<39 l/100 km

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Armado Synth LSP 10W-40

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 50000 km/ 12 måneder

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND Langtur, udvidet, 45 - 68t, fladt/bakket, maks. 90 km/h, Europa, brændstof =<39 l/100 km		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 5W-30	PRODUKTANBEFALING 2 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 3 Armado Synth LSP 10W-40
Skift alle 75000 km/ 12 måneder		
ANVEND Langtur, udvidet, 45 - 68 t, bakket, maks. 90 km/h, Europa, brændstof =<50 l/100 km		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 5W-30	PRODUKTANBEFALING 2 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 3 Armado Synth LSP 10W-40
Skift alle 60000 km/ 12 måneder/ 750 timer		
ANVEND Langtur, 45 - -68 t, bakket, maks. 90 km/h, Europa, brændstof =<50 l/100 km		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 2 Armado Synth LSP 10W-40	PRODUKTANBEFALING 3 Synfleet SHPD 10W-40
Skift alle 40000 km/ 12 måneder/ 500 timer		
ANVEND Langtur, udvidet, =>69 t, brændstof =<64 l/100 km		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 5W-30	PRODUKTANBEFALING 2 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 3 Armado Synth LSP 10W-40
Skift alle 45000 km/ 12 måneder/ 600 timer		
ANVEND Langtur, =>69 t, brændstof =<64 l/100 km		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 2 Armado Synth LSP 10W-40	PRODUKTANBEFALING 3 Synfleet SHPD 10W-40
Skift alle 30000 km/ 12 måneder/ 400 timer		
ANVEND Regional, udvidet, =<32 t		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 5W-30	PRODUKTANBEFALING 2 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 3 Armado Synth LSP 10W-40
Skift alle 75000 km/ 12 måneder		
ANVEND Regional, =<32 t		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 2 Armado Synth LSP 10W-40	PRODUKTANBEFALING 3 Synfleet SHPD 10W-40
Skift alle 50000 km/ 12 måneder		

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Udenbys, 33-44 t, brændstof = < 50 l/100 km		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Synfleet SHPD 10W-40
Skift alle 40000 km/ 12 måneder/ 500 timer		
ANVEND		KLIMA
Regional, udvidet, 45-68 t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40
Skift alle 45000 km/ 12 måneder/ 600 timer		
ANVEND		KLIMA
Regional, 45-68 t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Synfleet SHPD 10W-40
Skift alle 30000 km/ 12 måneder/ 400 timer		
ANVEND		KLIMA
Fordeling, by, = < 32 t, brændstof = < 39 l/100 km		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Synfleet SHPD 10W-40
Skift alle 30000 km/ 12 måneder/ 400 timer		
ANVEND		KLIMA
Fordeling, udvidet, by, = < 32 t, brændstof = < 64 l/100 km		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40
Skift alle 45000 km/ 12 måneder/ 600 timer		
ANVEND		KLIMA
Byggeplads, udvidet, =<32 t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40
Skift alle 60000 km/ 12 måneder/ 750 timer		
ANVEND		KLIMA
Byggeplads, =<32 t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Synfleet SHPD 10W-40
Skift alle 40000 km/ 12 måneder/ 500 timer		

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Byggeplads, udvidet, =33 -44t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 45000 km/ 12 måneder/ 600 timer

ANVEND		KLIMA
Byggeplads, =<33 -44t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Synfleet SHPD 10W-40

Skift alle 30000 km/ 12 måneder/ 400 timer

ANVEND		KLIMA
Byggeplads, udvidet, =45 -68t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 20000 km/ 12 måneder/ 600 timer/ 25000 liter forbrugt brændstof

ANVEND		KLIMA
Byggeplads, =<45 -68t		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 15000 km/ 12 måneder/ 400 timer/ 25000 liter forbrugt brændstof

ANVEND		KLIMA
Krævende, udvidet, meget bakket		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 12 måneder/ 600 timer/ 16000 liter forbrugt brændstof

ANVEND		KLIMA
Udenbys, forlænget, 33-44 t, brændstof = < 50 l/100 km		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 60000 km/ 12 måneder/ 750 timer

DIFFERENTIALE BAG RSH1370C Kapacitet: 17,3 liter		
ANVEND		KLIMA
Normal, alle servicekategorier		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 120000 km/ 12 måneder

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Normal, alle servicekategorier		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube HS GL-5 80W-140

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal (alternativ) servicekategorier 1, 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Første service, servicekategorier 1 + G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 10000 km/ 1 måneder

ANVEND		KLIMA
Første service, servicekategori 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Normal (alternativ) servicekategori G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 180000 km/ 12 måneder

DIFFERENTIALE BAG HYPOID RS1356SV Kapacitet: 8,5-9 liter		
ANVEND		KLIMA
Normal, alle servicekategorier		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal, alle servicekategorier		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube HS GL-5 80W-140

Skift alle 120000 km/ 12 måneder

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Normal (alternativ) servicekategorier 1, 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 400000 km/ 36 måneder		
ANVEND		KLIMA
Første service, servicekategorier 1 + G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 10000 km/ 1 måneder		
ANVEND		KLIMA
Første service, servicekategori 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 400000 km/ 36 måneder		
ANVEND		KLIMA
Normal (alternativ) servicekategori G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 180000 km/ 12 måneder		
GEAR AUTOMATISK I-Shift ATO3112C 12/2 Kapacitet: 16 liter, Kapacitet: 16,8 liter (+ oliekløler)		
ANVEND		KLIMA
Normal servicekategori 1, 2, 3, 4		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 400000 km/ 36 måneder		
ANVEND		KLIMA
Første service, servicekategorier 1 + 3		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 10000 km/ 1 måneder		
ANVEND		KLIMA
Første service, servicekategorier 2 + 4		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	
Skift alle 400000 km/ 36 måneder		

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Normal servicekategori 1, 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 40	SP Gear 1011	Syngear TDL 75W-90

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal servicekategori 1, 2		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 30	Syngear MT/LD 75W-80	Gearlube GL-4 80W

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal (alternativ) servicekategorier 1, 2		Moderat
PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Normal servicekategori G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear MT/LD 75W-80	Syngear TDL 75W-90

Skift alle 180000 km/ 12 måneder

GEAR MANUEL Volvo VT2814B 12/4
Kapacitet: 13,5 liter, Kapacitet: 14,3 liter (+ oliefølger)

ANVEND		KLIMA
Normal servicekategori 1, 2, 3, 4		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Første service, servicekategorier 1 + 3		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 10000 km/ 1 måneder

ANVEND		KLIMA
Første service, servicekategorier 2 + 4		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Normal servicekategori 1, 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 40	SP Gear 1011	Syngear TDL 75W-90

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal servicekategori 1, 2		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 30	Syngear MT/LD 75W-80	Gearlube GL-4 80W

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal (alternativ) servicekategorier 1, 2		Moderat
PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Normal servicekategori G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear MT/LD 75W-80	Syngear TDL 75W-90

Skift alle 180000 km/ 12 måneder

GEAR MANUEL Volvo VTO2814B 12/4
Kapacitet: 13,5 liter, Kapacitet: 14,3 liter (+ oliefølger)

ANVEND		KLIMA
Normal servicekategori 1, 2, 3, 4		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Første service, servicekategorier 1 + 3		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 10000 km/ 1 måneder

ANVEND		KLIMA
Første service, servicekategorier 2 + 4		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Normal servicekategori 1, 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 40	SP Gear 1011	Syngear TDL 75W-90
Skift alle 120000 km/ 12 måneder		
ANVEND		KLIMA
Normal servicekategori 1, 2		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 30	Syngear MT/LD 75W-80	Gearlube GL-4 80W
Skift alle 120000 km/ 12 måneder		
ANVEND		KLIMA
Normal (alternativ) servicekategorier 1, 2		Moderat
PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		
Skift alle 400000 km/ 36 måneder		
ANVEND		KLIMA
Normal servicekategori G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear MT/LD 75W-80	Syngear TDL 75W-90
Skift alle 180000 km/ 12 måneder		



VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



KRAFTOVERFØRING

Kapacitet: 4,5-5 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 40	SP Gear 1011	Syngear TDL 75W-90

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 30	Syngear MT/LD 75W-80	Gearlube GL-4 80W

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 40	SP Gear 1011	Syngear TDL 75W-90

Skift alle 10000 km/ 1 måneder

ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 30	Syngear MT/LD 75W-80	Gearlube GL-4 80W

Skift alle 10000 km/ 1 måneder

NAVREDUKTIONER BAG RSH1370C

Kapacitet: 0,6 liter

ANVEND		KLIMA
Normal servicekategori 1, 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

ANVEND		KLIMA
Normal, alle servicekategorier		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 120000 km/ 12 måneder

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



ANVEND		KLIMA
Normal, alle servicekategorier		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube HS GL-5 80W-140

Skift alle 120000 km/ 12 måneder

ANVEND		KLIMA
Normal servicekategori G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 180000 km/ 12 måneder

ANVEND		KLIMA
Første service, servicekategorier 1 + G		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 10000 km/ 1 måneder

ANVEND		KLIMA
Første service, servicekategori 2		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 400000 km/ 36 måneder

RETARDER RET-TH Kapacitet: 5,4 liter (Servicepåfyldning), Kapacitet: 6,1 liter (Tør efterfyld)		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Duranza LSP 5W-30	Armado Synth 10W-40	Synfleet SHPD 10W-40

Skift alle 120000 km/ 24 måneder

RETARDER Voith FH Kapacitet: 6 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Duranza LSP 5W-30	Armado Synth 10W-40	Synfleet SHPD 10W-40

Skift alle 90000 km/ 24 måneder



VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



BOGIE ELEVATOR

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Fluid 3013	Perlus H 15	

Skift alle 12 måneder

HYDRAULISK SYSTEM STYRBAR BAGAKSEL

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 2032	ATF Almirol	

HYDRAULISK TIPPESYSTEM FOR KABINEN

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 15		

HYDRAULISK KOBLINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

SERVOSTYRING

Kapacitet: 6-9 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 2032	ATF Almirol	

CENTRALT SMØRINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gear Grease EP 00/000		

VOLVO (EU) FH-16 FH 16-660 EURO 4 (4X2/6X2/8X2) D16E (2006-2012)



SMØREPUNKTER/NIPLER HJULLEJER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 52 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 15+	Coolant SP 12	

Skift alle 500000 km/ 48 måneder

HJULLEJER OLIESMURT

Kapacitet: 0,3 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Multifleet SCD 30		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.