PRODUCT RECOMMENDATION

CITROËN JUMPY / DISPATCH JUMPY / DISPATCH 2.0 HDI DPF (120 KW) RHH (2011-2014)



2011)

ENGINE DW10CTED4 Capacity: 5 liter (Orange dipstick), Capacity: 5,5 liter (Yellow dipstick), Filter capacity: 0,25 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Presteza MSP 5W-30	Avanza MSP+ 5W-30	Avanza RPC 5W-30	

TRANSAXLE AUTOMATIC AM6 6/1 Capacity: 7 liter (Dry fill), Capacity: 4 liter (Service fill)		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Matic 4036		

TRANSAXLE MANUAL ML6C 6/1 Capacity: 1,9 liter (carter/oil pan with ribs), Capacity: 2,6 liter (carter/oil pan without ribs), Capacity: 2,2 liter (Dry fill, carter/oil pan with ribs), Capacity: 2,9 liter (Dry fill, carter/oil pan without ribs)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	Gearlube RPC 75W-80	

HYDRAULIC BRAKE/CLUTCH SYSTE Capacity: 0,54 liter	М		
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		

POWER STEERING Capacity: 1,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	

PRODUCT RECOMMENDATION

CITROËN JUMPY / DISPATCH JUMPY / DISPATCH 2.0 HDI DPF (120 KW) RHH (2011-2011)



COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.