

FORD (EU) TRANSIT CONNECT PJ2

TRANSIT CONNECT 1.6 ECOBOOST (2013-2016)

**ENGINE JQGA**

Capacity: 4,7 liter (Initial fill), Capacity: 4,05 liter (Service fill), Filter capacity: 0,3 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza ECO 5W-20****PRODUCT RECOMMENDATION 2****Duranza LSP 5W-30***Change every 20000 km/ 12 months***TRANSAXLE AUTOMATIC 6F35 6/1**

Capacity: 8,5 liter (Dry fill), Capacity: 4 liter (Service fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Matic 4036****PRODUCT RECOMMENDATION 2****SP Matic 2032****HYDRAULIC BRAKE SYSTEM****USE**

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Drauliquid-LV Super DOT 4***Change every 24 months***COOLING SYSTEM**

Capacity: 6,2 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Coolant SP 15+****PRODUCT RECOMMENDATION 2****Coolant SP 12****PRODUCT RECOMMENDATION 3****Coolant -38 Organic NF***Change every 120 months***AIRCONDITIONING COMPRESSOR**

Capacity: 130 CM3, Capacity: 220 CM3 (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR Denso

Capacity: 130 CM3, Capacity: 220 CM3 (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR FROM 20.06.2016

Capacity: 130 CM3, Capacity: 220 CM3 (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

FORD (EU) TRANSIT CONNECT PJ2 TRANSIT CONNECT 1.6 ECOBOOST (2013- 2016)



AIRCONDITIONING SYSTEM

Capacity: 660-690 grams, Capacity: 860-890 grams (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM FROM 20.06.2016

Capacity: 660-690 grams, Capacity: 860-890 grams (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.