KIA (EU) PREGIO/BESTA PREGIO 2.7 D

(1997-2002)



	Tropical
	CLIMATE
	Mediterranean
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40
	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Synfleet SHPD 10W-40	Multifleet SHPD 10W-40
	CLIMATE
	Arctic
	Dieselfleet CD+ 15W-40 PRODUCT RECOMMENDATION 2

PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 PRODUCT RECOMMENDATION 3

SP Gear 5015 Gearlube RPC 75W-80 SP Gear 1071

Unigear HS GL-3/GL-5 80W-90

Check every 7500 km/ 6 months, change every 30000 km

Check every 7500 km/6 months, change every 30000 km

USE

Normal

Gearlube GL-5 80W-90

CLIMATE

Arctic

KIA (EU) PREGIO/BESTA PREGIO 2.7 D

(1997-2002)



TRANSMISSION MANUAL 5/1 Capacity: 2,2 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90	
Check every 7500 km/ 6 months, cha	ange every 45000 km		
USE		CLIMATE	
Normal		Arctic	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
SP Gear 5015	Gearlube RPC 75W-80	SP Gear 1071	
Check every 7500 km/ 6 months, cha	ange every 45000 km		

HYDRAULIC BRAKE SYSTEM			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3	
Chack ayon, 7500 km/6 months, chan	go over 24 months		

Check every 7500 km/6 months, change every 24 months

HYDRAULIC CLUTCH SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3
Chook avany 7500 km/6 mantha ahanga ayany 24 mantha		

Check every 7500 km/6 months, change every 24 months

POWER STEERING Capacity: 1,07 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		
Check every 7500 km/ 6 months, change every 24 months		

KIA (EU) PREGIO/BESTA PREGIO 2.7 D

(1997-2002)



COOLING SYSTEM Capacity: 8,5 liter, Capacity: 9,5 liter (+ heater)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant -38 Organic NF	Coolant -26		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.