

# MERCEDES-BENZ (EU) SPRINTER 906

## SPRINTER 318 CDI 4X4 906 (2008-2009)



**ENGINE** OM642 DE30  
Capacity: 12,5 liter

USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>	<b>Presteza MSP 5W-30</b>

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

### DIFFERENTIAL FRONT

Capacity: 0,85 liter (Dry fill), Capacity: 0,65 liter (Service fill)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>	

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 160000 km*

### DIFFERENTIAL REAR

Capacity: 2,6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>	<b>Unigear HS GL-3/GL-5 80W-90</b>

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 320000 km/ 120 months*

### TRANSFERBOX

Capacity: 1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 160000 km*

# MERCEDES-BENZ (EU) SPRINTER 906

## SPRINTER 318 CDI 4X4 906 (2008-2009)


**TRANSMISSION AUTOMATIC** 722.683 (W5A380) 5/1

Capacity: 7,1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 120000 km*

**TRANSMISSION MANUAL** 711.651 6/1

Capacity: 1,5 liter, Capacity: 1,75 liter (+ PTO)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Gear 5015</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 320000 km/ 120 months*

**TRANSMISSION MANUAL** 711.660 6/1

Capacity: 2 liter, Capacity: 2,5 liter (+ PTO)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Gear 5015</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 320000 km/ 120 months*

**TRANSMISSION MANUAL** 711.680 6/1

Capacity: 2,1 liter, Capacity: 2,45 liter (+ PTO)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Gear 5015</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 320000 km/ 120 months*

# MERCEDES-BENZ (EU) SPRINTER 906

## SPRINTER 318 CDI 4X4 906 (2008-2009)



**TRANSMISSION MANUAL** 711.685 6/1  
Capacity: 2,6 liter, Capacity: 3,25 liter (+ PTO)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Gear 5015</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 320000 km/ 120 months*

### HYDRAULIC BRAKE SYSTEM ABS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Drauliquid-S DOT 4</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 24 months*

### POWER STEERING LZS 54

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Matic 4026</b>	<b>SP Matic 2032</b>	<b>ATF Dexron II-D</b>

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

### COOLING SYSTEM

Capacity: 9,5-10 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant SP 11</b>	<b>Coolant SP 12 EVO</b>	

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Check every 12 months, change every 320000 km/ 180 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*