

ENGINE OM651 DE22LA Capacity: 11,5 liter		
USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Helar SP LL-03 0W-30	Helar SP LL-03 5W-30	Presteza MSP 5W-30

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

DIFFERENTIAL REAR Capacity: 1,6-2,6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Unigear HS GL-3/GL-5 80W-90

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 300000 km/ 120 months

DIFFERENTIAL REAR 741.421 Capacity: 2,2 liter			
USE		CLIMATE	
Alternative (acceptable)		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1011	Syngear TDL 75W-90		

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 300000 km/ 120 months

DIFFERENTIAL REAR 741.423 Capacity: 1,5 liter		
USE		CLIMATE
Alternative (acceptable)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1011	Syngear TDL 75W-90	
		<u>'</u>

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 300000 km/ 120 months



TRANSMISSION AUTOMATIC 722.9xx 7 Capacity: 9 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2094		
This vehicle is equipped with ASSYST or A	SSYST Plus. ASSYST indicates when the v	vehicle needs Service.

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 120000 km

TRANSMISSION MANUAL 710.510 6/1 Capacity: 2,1 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

TRANSMISSION MANUAL 711.651 6/1 Capacity: 1,5 liter, Capacity: 2,5 liter (+ additional PTO), Capacity: 1,75 liter (+ PTO)		
use Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 SP Gear 5015		

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 360000 km/ 120 months

TRANSMISSION MANUAL 711.660 6/1 Capacity: 2 liter, Capacity: 3,25 liter (+ addition	PTO), Capacity: 2,5 liter (+ PTO)
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 360000 km/ 120 months



SP Gear 5015		
PRODUCT RECOMMENDATION 1		
Normal		Moderate
USE		CLIMATE
TRANSMISSION MANUAL 711.680 6/1 Capacity: 2,1 liter, Capacity: 2,45 liter (+ PTO)		

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 360000 km/ 120 months

TRANSMISSION MANUAL 711.685 6/1 Capacity: 2,6 liter, Capacity: 3,25 liter (+ P	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 360000 km/ 120 months

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 1,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-S DOT 4	

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 24 months

POWER STEERING Capacity: 1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	SP Matic 2032	
This yahiala is assuinged with ACC	VCT or ACCVCT Divis ACCVCT indicates with	on the vehicle needs Coming

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.



COOLING SYSTEM Capacity: 10 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 11	Coolant SP 12 EVO	
This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.		

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service. Change every 360000 km/ 180 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.