NISSAN (EU) NV400 X62 NV400 2.3 DCI (107 **KW) RWD DPF EURO 5** (2010-2019)



ENGINE M9T Capacity: 8-8,9 liter (Service fill), Filter cap	acity: 0,5-0,6 liter	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Meganza LSP 5W-30		
Change every 40000 km/ 48 months		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
Meganza LSP 5W-30		
Change every 20000 km/ 12 months		

DIFFERENTIAL REAR Capacity: 2,7 liter (Single drive wheels), Capacity: 3 liter (Twin drive wheels)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
Check every 40000 km/ 24 months		

TRANSMISSION MANUAL ZF4 6/1 Capacity: 2,7 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	
Check every 40000 km/24 months	·

TRANSMISSION SEMI-AUTOMATIC ZA-Capacity: 2,7 liter	5/1	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		
Check every 40000 km/ 24 months		

NISSAN (EU) NV400 X62 NV400 2.3 DCI (107 KW) RWD DPF EURO 5 (2010-2019)



HYDRAULIC BRAKE SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	

Check every 40000 km/24 months, change every 120000 km/48 months

CLIMATE
Moderate

Check every 40000 km/24 months, change every 160000 km/72 months

AIRCONDITIONING COMPRESSOR

Capacity: 110-130 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 545-615 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.