OPEL MOVANO A X70 MOVANO 2.5 CDTI (88 KW) DPF (2006-2010)



ENGINE G9U 632 Capacity: 8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Helar SP LL-03 0W-30	Helar SP LL-03 5W-30	Presteza MSP 5W-30

Change every 30000 km/ 12 months

TRANSAXLE MANUAL PF6 6/1 Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		

Check every 12 months/ 30000 km

TRANSAXLE SEMI-AUTOMATIC PF6R MTA 6/1			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Gear 5015			
Check every 12 months/ 30000 km			

HYDRAULIC ACTUATION TECSHIFT		
USE	c	CLIMATE
Normal	Ν	Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3023		
	!	

Check every 12 months/ 30000 km

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Check every 30000 km/ 12 months, change every 120000 km/ 48 months

OPEL MOVANO A X70 MOVANO 2.5 CDTI (88 KW) DPF (2006-2010)



SP Matic 2032	ATF Almirol	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Normal		Moderate
USE		CLIMATE
POWER STEERING Capacity: 0-0 liter (Between min and max.		

Check every 12 months/ 30000 km

COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 15	Coolant SP 15+		
Check every 30000 km/ 12 months, change every 120000 km/ 48 months			

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.