

VOLKSWAGEN (VW) (EU) CRAFTER 2E/2F

CRAFTER 50 2.5 BLUETDI EURO 5 (100 KW)

DPF (2009-2013)



ENGINE CECA
Capacity: 9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Helar SP LL-03 5W-30

Change every 20000 km/ 12 months

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

Helar SP LL-03 5W-30

Change every 40000 km/ 24 months

DIFFERENTIAL REAR
Capacity: 1,6-2,8 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1011

PRODUCT RECOMMENDATION 2

Syngear TDL 75W-90

Check every 40000 km/ 24 months, change every 320000 km/ 120 months

TRANSMISSION Shiftmatic 0B8 6/1
Capacity: 1,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015

Check every 40000 km/ 24 months, change every 320000 km/ 120 months

TRANSMISSION MANUAL 0B7 6/1
Capacity: 1,5 liter, Capacity: 1,75 liter (+ PTO)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015

Check every 40000 km/ 24 months, change every 320000 km/ 120 months

VOLKSWAGEN (VW) (EU) CRAFTER 2E/2F CRAFTER 50 2.5 BLUETDI EURO 5 (100 KW) DPF (2009-2013)



TRANSMISSION MANUAL 0CB 6/1
Capacity: 2,6 liter, Capacity: 3,25 liter (+ PTO)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015

Check every 40000 km/ 24 months, change every 320000 km/ 120 months

HYDRAULIC ACTUATION GEARBOX

Capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Fluid 3013

Check every 40000 km/ 24 months

HYDRAULIC BRAKE/CLUTCH SYSTEM ABS

Capacity: 1,6-2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid-LV Super DOT 4

Check every 40000 km, change every 24 months

POWER STEERING

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2032

Check every 40000 km/ 24 months

COOLING SYSTEM

Capacity: 9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 12 EVO

Check every 40000 km/ 24 months

VOLKSWAGEN (VW) (EU) CRAFTER 2E/2F CRAFTER 50 2.5 BLUETDI EURO 5 (100 KW) DPF (2009-2013)



The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.