

CHEVROLET (USA / CAN) EXPRESS / VAN GMT600 EXPRESS 8.1 V8 (2001-2002)



MOTOR Vortec
Kapacitet: 6,15 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

PRODUKTANBEFALING 2

Emperol 10W-40

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 7500 mil

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

PRODUKTANBEFALING 2

Emperol 10W-40

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 3000 mil

DIFFERENTIALE BAG
Kapacitet: 2,5-3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 7500 mil

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 3000 mil

CHEVROLET (USA / CAN) EXPRESS / VAN GMT600 EXPRESS 8.1 V8 (2001-2002)



DIFFERENTIALE BAG MED DIFFERENTIALELÅS

Kapacitet: 2,5-3 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 7500 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 3000 mil

ANVEND	KLIMA
Første skift kun	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 7500 mil

ANVEND	KLIMA
Kun første skift, svær	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 3000 mil

GEAR AUTOMATISK 4L60-E 4/1

Kapacitet: 10,6 liter (Overhaling kapacitet), Kapacitet: 4,7 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 2032	ATF Almirol	

Kontroller alle 6 måneder, skift alle 100000 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 2032	ATF Almirol	

Kontroller alle 6 måneder, skift alle 50000 mil

CHEVROLET (USA / CAN) EXPRESS / VAN GMT600 EXPRESS 8.1 V8 (2001-2002)



GEAR AUTOMATISK 4L80-E 4/1

Kapacitet: 12,8 liter (Overhaling kapacitet), Kapacitet: 7,3 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 2032	ATF Almirol	

Kontroller alle 6 måneder, skift alle 100000 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 2032	ATF Almirol	

Kontroller alle 6 måneder, skift alle 50000 mil

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Skift alle 24 måneder

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Almirol		

Kontroller alle 7500 mil

HJULLEJER FOR

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
HT Q9 High Grade Grease		

Skift alle 30000 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
HT Q9 High Grade Grease		

Skift alle 22500 mil

CHEVROLET (USA / CAN) EXPRESS / VAN GMT600 EXPRESS 8.1 V8 (2001-2002)



KØLESYSTEM

Kapacitet: 21,8 liter, Kapacitet: 24,6 liter (+ bageste varmer)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15

PRODUKTANBEFALING 2

Coolant SP 15+

Kontroller alle 6 måneder, skift alle 150000 mil/ 60 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.