

CHEVROLET (USA / CAN) SILVERADO GMT901 SILVERADO 5.3 V8 AWD (2010-2013)



MOTOR LMG/LC9
Kapacitet: 5,7 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Presteza MSP 5W-30

Skift alle 7500 mil/ 12 måneder

DIFFERENTIALE BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 7500 mil

DIFFERENTIALE FOR (4x4)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 7500 mil

DIFFERENTIALE FOR (4x4)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-4 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 7500 mil

CHEVROLET (USA / CAN) SILVERADO GMT901 SILVERADO 5.3 V8 AWD (2010-2013)



GEAR AUTOMATISK 6L80-E 6/1
Kapacitet: 5,7 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 4036		

Kontroller alle 7500 mil, skift alle 97500 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
SP Matic 4036		

Kontroller alle 7500 mil, skift alle 45000 mil

REDUKTIONSGEARKASSE (4X4)
Kapacitet: 1,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 4036		

Kontroller alle 7500 mil, skift alle 97500 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
SP Matic 4036		

Kontroller alle 7500 mil, skift alle 45000 mil

ANVEND	KLIMA
Meget alvorlig	Moderat

PRODUKTANBEFALING 1		
SP Matic 4036		

Kontroller alle 7500 mil, skift alle 22500 mil

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 7500 mil, skift alle 45000 mil/ 36 måneder

CHEVROLET (USA / CAN) SILVERADO GMT901 SILVERADO 5.3 V8 AWD (2010-2013)



SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Kontroller alle 7500 mil

KØLESYSTEM

Kapacitet: 16 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15

PRODUKTANBEFALING 2

Coolant SP 15+

Kontroller alle 7500 mil, skift alle 150000 mil/ 60 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.