

CHRYSLER (EU) GRAND VOYAGER GRAND VOYAGER 3.8 AWD (2001-2004)



MOTOR

Kapacitet: 4,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Presteza MSP 5W-30

PRODUKTANBEFALING 2

Xedoz FE 5W-30

Skift alle 10000 km/ 6 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Presteza MSP 5W-30

PRODUKTANBEFALING 2

Xedoz FE 5W-30

Skift alle 5000 km/ 3 måneder

DIFFERENTIALE BAG (4x4)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Kontroller alle 12000 km/ 6 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Skift alle 34000 km

REDUKTIONSGEARKASSE (4X4)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Kontroller alle 12000 km/ 6 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Skift alle 24000 km/ 24 måneder

CHRYSLER (EU) GRAND VOYAGER GRAND VOYAGER 3.8 AWD (2001-2004)



TRANSAXSEL AUTOMATISK 4/1

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 12000 km/ 6 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Skift alle 96000 km

FRILØBSKOBLING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 12000 km/ 6 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Skift alle 34000 km

HYDRAULISK BREMSESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 12000 km/ 6 måneder

CHRYSLER (EU) GRAND VOYAGER GRAND VOYAGER 3.8 AWD (2001-2004)



KØLESYSTEM

Kapacitet: 12,6 liter, Kapacitet: 15,4 liter (+ bageste varmer)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12 EVO

Kontroller alle 12000 km/ 6 måneder, skift alle 160000 km/ 60 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.