FORD (EU) TRANSIT CUSTOM V362 TF TRANSIT CUSTOM 2.2 DURATORQ TDCI



(100) (2012-2016)

ENGINE DRFF Capacity: 7-7,3 liter (Initial fill), Capacity: 6,2-6,5 liter (Service fill)				
USE		CLIMATE		
Flexible (max)		Moderate		
PRODUCT RECOMMENDATION 1				
Duranza LSP 5W-30				
Change every 50000 km/ 24 months				

TRANSAXLE MANUAL VMT6 6/1 Capacity: 2,15 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 1081	

HYDRAULIC BRAKE/CLUTCH SYSTEM		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid-LV Super DOT 4		
Change every 24 months	·	

POWER STEERING FROM 03/2013 ONWARDS			
	CLIMATE		
	Moderate		
PRODUCT RECOMMENDATION 2			
SP Matic 2032			
	PRODUCT RECOMMENDATION 2	CLIMATE Moderate PRODUCT RECOMMENDATION 2	

POWER STEERING UPTO 03/2013		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

FORD (EU) TRANSIT CUSTOM V362 TF TRANSIT CUSTOM 2.2 DURATORQ TDCI



(100) (2012-2016)

COOLING SYSTEM Capacity: 9,3-11,7 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF
Change every 120 months	'	'

AIRCONDITIONING COMPRESSOR

Capacity: 160 CM3, Capacity: 245 CM3 (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR BUS

Capacity: 160 CM3, Capacity: 245 CM3 (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 725-755 grams, Capacity: 1135-1165 grams (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM BUS

Capacity: 725-785 grams, Capacity: 1035-1095 grams (With auxiliary climate control)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.