

# FORD (USA) E-150 E-150 6.0 TURBO DIESEL (2008-2010)



**MOTOR** Power Stroke  
Kapacitet: 14,2 liter, Filterkapacitet: 1 liter

| ANVEND | KLIMA            |
|--------|------------------|
| Normal | Middelhavsagtigt |

PRODUKTANBEFALING 1  
**Dieselfleet MSP 15W-40**

*Kontroller alle 1 måneder, skift alle 7500 mil*

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1  
**Dieselfleet MSP 10W-30**

*Kontroller alle 1 måneder, skift alle 7500 mil*

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Arktisk |

PRODUKTANBEFALING 1  
**Armado Synth MSP 5W-40**

*Kontroller alle 1 måneder, skift alle 7500 mil*

| ANVEND   | KLIMA            |
|----------|------------------|
| Krævende | Middelhavsagtigt |

PRODUKTANBEFALING 1  
**Dieselfleet MSP 15W-40**

*Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder/ 200 timer*

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

PRODUKTANBEFALING 1  
**Dieselfleet MSP 10W-30**

*Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder/ 200 timer*

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Arktisk |

PRODUKTANBEFALING 1  
**Armado Synth MSP 5W-40**

*Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder/ 200 timer*

| ANVEND       | KLIMA            |
|--------------|------------------|
| Biodiesel B5 | Middelhavsagtigt |

PRODUKTANBEFALING 1  
**Dieselfleet MSP 15W-40**

*Skift alle 5000 mil/ 200 timer*

# FORD (USA) E-150 E-150 6.0 TURBO DIESEL (2008-2010)



| ANVEND                        |  | KLIMA   |
|-------------------------------|--|---------|
| Biodiesel B5                  |  | Moderat |
| PRODUKTANBEFALING 1           |  |         |
| <b>Dieselfleet MSP 10W-30</b> |  |         |

*Skift alle 5000 mil/ 200 timer*

| ANVEND                        |  | KLIMA   |
|-------------------------------|--|---------|
| Biodiesel B5                  |  | Arktisk |
| PRODUKTANBEFALING 1           |  |         |
| <b>Armado Synth MSP 5W-40</b> |  |         |

*Skift alle 5000 mil/ 200 timer*

| DIFFERENTIALE BAG KONVENTIONEL Dana M60<br>Kapacitet: 2,9 liter |  |         |
|-----------------------------------------------------------------|--|---------|
| ANVEND                                                          |  | KLIMA   |
| Normal                                                          |  | Moderat |
| PRODUKTANBEFALING 1                                             |  |         |
| <b>Gearlube GL-5 80W-90</b>                                     |  |         |

*Skift alle 105000 mil*

| GEAR AUTOMATISK 4R75E 4/1<br>Kapacitet: 13,1 liter (Tør efterfyld) |  |         |
|--------------------------------------------------------------------|--|---------|
| ANVEND                                                             |  | KLIMA   |
| Normal                                                             |  | Moderat |
| PRODUKTANBEFALING 1                                                |  |         |
| <b>SP Matic 2032</b>                                               |  |         |

*Kontroller alle 15000 mil, skift alle 30000 mil*

| GEAR AUTOMATISK TorqShift 5/1<br>Kapacitet: 17,7 liter (Tør efterfyld) |  |         |
|------------------------------------------------------------------------|--|---------|
| ANVEND                                                                 |  | KLIMA   |
| Normal                                                                 |  | Moderat |
| PRODUKTANBEFALING 1                                                    |  |         |
| <b>SP Matic 4036</b>                                                   |  |         |

*Kontroller alle 15000 mil, skift alle 30000 mil*



# FORD (USA) E-150 E-150 6.0 TURBO DIESEL (2008-2010)



## GEAR MANUEL 6/1

Kapacitet: 5,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2032**

*Skift alle 100000 mil*

## HYDRAULISK BREMSESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid DOT 3**

## SERVOSTYRING

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2032**

*Kontroller alle 6 måneder*

## KØLESYSTEM

Kapacitet: 26 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 12**

PRODUKTANBEFALING 2

**Coolant SP 11**

*Kontroller alle 6 måneder, skift alle 45000 mil/ 36 måneder*

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 12**

PRODUKTANBEFALING 2

**Coolant SP 11**

*Kontroller alle 6 måneder, skift alle 105000 mil/ 72 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.