

FORD (USA) F-150, 10TH GEN. F-150 4.2 V6 (1997-2004)



MOTOR

Kapacitet: 5,7 liter, Filterkapacitet: 0,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

Kontroller alle 6 måneder, skift alle 8000 km

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

Skift alle 6000 km

DIFFERENTIALE BAG C200, 4x2/4x4

Kapacitet: 2,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 6 måneder

DIFFERENTIALE FOR (4x4)

Kapacitet: 1,75 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Kontroller alle 6 måneder

GEAR AUTOMATISK 4R70W 4/1

Kapacitet: 6,1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 6 måneder, skift alle 45000 km

FORD (USA) F-150, 10TH GEN. F-150 4.2 V6 (1997-2004)



GEAR MANUEL M50D 5/1

Kapacitet: 3,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 6 måneder, skift alle 96000 km

REDUKTIONSGEARKASSE Borg Warner

Kapacitet: 1,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 6 måneder, skift alle 96000 km

HYDRAULISK KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 16000 km/ 6 måneder

SERVOSTYRING

Kapacitet: 0,91 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 6 måneder

FORD (USA) F-150, 10TH GEN. F-150 4.2 V6 (1997-2004)

**KØLESYSTEM**

Kapacitet: 16,4 liter, Kapacitet: 14,9 liter (+ klimaanlæg)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 18

PRODUKTANBEFALING 2

Coolant -26*Kontroller alle 24000 km/ 12 måneder, skift alle 48000 km/ 36 måneder*

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 18

PRODUKTANBEFALING 2

Coolant -26*Skift alle 800000 km/ 48 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.