

FORD (USA) F-150, 12TH GEN. F-150 4.6 V8 16V (2009-2010)



MOTOR 281 CID, 2V
Kapacitet: 5,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 7500 mil/ 6 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder/ 200 timer

DIFFERENTIALE BAG

Kapacitet: 2,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 150000 mil

DIFFERENTIALE BAG Dana

Kapacitet: 2,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 105000 mil

FORD (USA) F-150, 12TH GEN. F-150 4.6 V8 16V (2009-2010)



GEAR AUTOMATISK 4R75E 4/1
Kapacitet: 13,2 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 4036

PRODUKTANBEFALING 2
SP Matic 2032

Kontroller alle 30000 mil, skift alle 150000 mil

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 4036

PRODUKTANBEFALING 2
SP Matic 2032

Skift alle 30000 mil

SELVSPÆRRENDE DIFFERENTIALE BAG
Kapacitet: 2,6 liter, Kapacitet: 0,12 liter (LS-additiv)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

Skift alle 150000 mil

SELVSPÆRRENDE DIFFERENTIALE BAG Dana
Kapacitet: 2,6 liter, Kapacitet: 0,12 liter (LS-additiv)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

Skift alle 105000 mil

HYDRAULISK BREMSESYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid DOT 3

Kontroller alle 6 måneder

FORD (USA) F-150, 12TH GEN. F-150 4.6 V8 16V (2009-2010)



SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032*Kontroller alle 6 måneder*

SMØREPUNKTER/NIPLER ANDRE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2*Kontroller alle 6 måneder*

KØLESYSTEM

Kapacitet: 15,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11*Kontroller alle 6 måneder, skift alle 45000 mil/ 36 måneder*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11*Kontroller alle 6 måneder, skift alle 105000 mil/ 72 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.