

FORD (USA) F-250 (SUPER DUTY) F-250 5.4 V8 SUPER DUTY 4X4 (2004-2008)



MOTOR Triton
Kapacitet: 6,6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 3000 mil/ 3 måneder/ 200 timer

DIFFERENTIALE BAG KONVENTIONEL Ford 10.5
Kapacitet: 3,3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

Skift alle 150000 mil

DIFFERENTIALE FOR (4x4)
Kapacitet: 2,8 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

PRODUKTANBEFALING 2
Unigear HS GL-3/GL-5 80W-90

Skift alle 150000 mil

GEAR AUTOMATISK TorqShift 5R110 5/1
Kapacitet: 16,6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 4036

PRODUKTANBEFALING 2
SP Matic 2032

Kontroller alle 15000 mil, skift alle 30000 mil

FORD (USA) F-250 (SUPER DUTY) F-250 5.4 V8 SUPER DUTY 4X4 (2004-2008)



GEAR MANUEL S6-650 6/1

Kapacitet: 5,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Skift alle 60000 mil

REDUKTIONSGEARKASSE

Kapacitet: 1,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Skift alle 150000 mil

SELVSPÆRRENDE DIFFERENTIALE BAG Ford 10.5

Kapacitet: 3,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 150000 mil

HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 6 måneder

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 6 måneder

FORD (USA) F-250 (SUPER DUTY) F-250 5.4 V8 SUPER DUTY 4X4 (2004-2008)

**KØLESYSTEM**

Kapacitet: 25 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11*Kontroller alle 6 måneder, skift alle 50000 mil/ 36 måneder*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11*Kontroller alle 6 måneder, skift alle 100000 mil/ 60 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.