

FORD (USA) F-350 (SUPER DUTY) F-350 6.0 TD (2003-2006)



MOTOR Power Stroke
Kapacitet: 14,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Dieselfleet CD+ 15W-40

Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder/ 200 timer

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Dieselfleet CD+ 15W-40

Kontroller alle 1 måneder, skift alle 3000 mil/ 3 måneder/ 200 timer

DIFFERENTIALE BAG Dana S110/S130
Kapacitet: 6,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 100000 mil

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 50000 mil

DIFFERENTIALE BAG KONVENTIONEL Dana M80
Kapacitet: 4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Skift alle 100000 mil

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Skift alle 50000 mil

FORD (USA) F-350 (SUPER DUTY) F-350 6.0 TD (2003-2006)



GEAR AUTOMATISK 4/1
Kapacitet: 16,6 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 4036

Kontroller alle 15000 mil, skift alle 30000 mil

GEAR MANUEL 6/1
Kapacitet: 5,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 6 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG
Kapacitet: 3,3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 100000 mil

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 50000 mil

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 12 måneder, skift alle 24 måneder

FORD (USA) F-350 (SUPER DUTY) F-350 6.0 TD (2003-2006)



SERVOSTYRING

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Kontroller alle 6 måneder

KØLESYSTEM

Kapacitet: 26 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 12	Coolant SP 11	

Kontroller alle 15000 mil, skift alle 50000 mil/ 36 måneder

ANVEND		KLIMA
Første skift kun, gul væske		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 12	Coolant SP 11	

Kontroller alle 15000 mil, skift alle 100000 mil/ 72 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.