

# FORD (USA) F-450 (SUPER DUTY) F-450 6.2 V8 4X4 (2011-2013)



**MOTOR** 379 CID  
Kapacitet: 6,6 liter

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**Duranza ECO 5W-20**

*Skift alle 5000 mil/ 6 måneder*

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

**Duranza ECO 5W-20**

*Kontroller alle 1 måneder, skift alle 7500 mil/ 6 måneder*

**DIFFERENTIALE BAG** Dana S110/S130  
Kapacitet: 6,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube Racing 75W-140**

*Skift alle 105000 mil*

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube Racing 75W-140**

*Skift alle 50000 mil*

**DIFFERENTIALE FOR (4x4)**  
Kapacitet: 2,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

*Skift alle 150000 mil*

# FORD (USA) F-450 (SUPER DUTY) F-450 6.2 V8 4X4 (2011-2013)



**GEAR AUTOMATISK 5R110W 5/1**  
Kapacitet: 16,6 liter (Tør efterfyld)

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**SP Matic 4036**

PRODUKTANBEFALING 2  
**SP Matic 2032**

*Skift alle 60000 mil*

**GEAR AUTOMATISK 6R140(W) 6/1**  
Kapacitet: 15,8-17,5 liter (Tør efterfyld)

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**SP Matic 4036**

PRODUKTANBEFALING 2  
**SP Matic 2032**

*Skift alle 150000 mil*

**REDUKTIONSGEARKASSE**  
Kapacitet: 1,9 liter

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**SP Matic 4016**

PRODUKTANBEFALING 2  
**ATF Dexron II-D**

*Skift alle 150000 mil*

ANVEND  
Krævende

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**SP Matic 4016**

PRODUKTANBEFALING 2  
**ATF Dexron II-D**

*Skift alle 60000 mil*

**HYDRAULISK BREMSESYSTEM**  
Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**Drauliquid DOT 3**

# FORD (USA) F-450 (SUPER DUTY) F-450 6.2 V8 4X4 (2011-2013)



## SERVOSTYRING

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2032**

## KØLESYSTEM

Kapacitet: 20,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 12**

PRODUKTANBEFALING 3

**Coolant -38 Organic NF**

*Kontroller alle 6 måneder, skift alle 45000 mil/ 36 måneder*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 12**

PRODUKTANBEFALING 3

**Coolant -38 Organic NF**

*Kontroller alle 6 måneder, skift alle 105000 mil/ 72 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*