

MERCEDES-BENZ (EU) SPRINTER 906

SPRINTER 518 CDI 4X4 906 (2008-2009)



MOTOR OM642 DE30
Kapacitet: 12,5 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar SP LL-03 0W-30

PRODUKTANBEFALING 2

Helar SP LL-03 5W-30

PRODUKTANBEFALING 3

Presteza MSP 5W-30

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

DIFFERENTIALE BAG

Kapacitet: 2,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Unigear HS GL-3/GL-5 80W-90

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 320000 km/ 120 måneder

DIFFERENTIALE FOR

Kapacitet: 0,65 liter (Servicepåfyldning), Kapacitet: 0,85 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 160000 km

GEAR AUTOMATISK 722.683 (W5A380) 5/1

Kapacitet: 7,1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 120000 km

MERCEDES-BENZ (EU) SPRINTER 906

SPRINTER 518 CDI 4X4 906 (2008-2009)



GEAR MANUEL 711.651 6/1

Kapacitet: 1,5 liter, Kapacitet: 1,75 liter (+ kraftudtag)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 5015

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 320000 km/ 120 måneder

GEAR MANUEL 711.660 6/1

Kapacitet: 2 liter, Kapacitet: 2,5 liter (+ kraftudtag)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 5015

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 320000 km/ 120 måneder

GEAR MANUEL 711.680 6/1

Kapacitet: 2,1 liter, Kapacitet: 2,45 liter (+ kraftudtag)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 5015

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 320000 km/ 120 måneder

GEAR MANUEL 711.685 6/1

Kapacitet: 3,25 liter (+ kraftudtag)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 5015

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 320000 km/ 120 måneder

MERCEDES-BENZ (EU) SPRINTER 906

SPRINTER 518 CDI 4X4 906 (2008-2009)



REDUKTIONSGEARKASSE

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 160000 km

HYDRAULISK BREMSESYSTEM ABS

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-S DOT 4

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Skift alle 24 måneder

SERVOSTYRING LZS 54

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

PRODUKTANBEFALING 2

SP Matic 2032

PRODUKTANBEFALING 3

ATF Dexron II-D

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

KØLESYSTEM

Kapacitet: 9,5-10 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

PRODUKTANBEFALING 2

Coolant SP 12 EVO

This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.

Kontroller alle 12 måneder, skift alle 320000 km/ 180 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.