

NISSAN (EU) PATROL PATROL GR 2.8 TD 2WD Y60 (1988-1997)



MOTOR

Kapacitet: 6,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

PRODUKTANBEFALING 2

Emperol 10W-40

PRODUKTANBEFALING 3

Bi-Turbo 15W-40

Skift alle 5000 km/ 6 måneder

DIFFERENTIALE BAG H233B

Kapacitet: 2,1 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Skift alle 40000 km/ 48 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

Gearlube RPC 75W-80

Skift alle 40000 km/ 48 måneder

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

SP Gear 1081

Skift alle 40000 km/ 48 måneder

NISSAN (EU) PATROL PATROL GR 2.8 TD 2WD Y60 (1988-1997)



DIFFERENTIALE BAG MED DIFFERENTIALELÅS (4x2)

Kapacitet: 3 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Skift alle 40000 km/ 48 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

Gearlube RPC 75W-80

Skift alle 40000 km/ 48 måneder

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1

SP Gear 1081

Skift alle 40000 km/ 48 måneder

GEAR MANUEL FS5R30A 5/1

Kapacitet: 3,9 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Skift alle 40000 km/ 48 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

Syngear TDL 75W-90

Skift alle 40000 km/ 48 måneder

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1

SP Gear 1081

Skift alle 40000 km/ 48 måneder

NISSAN (EU) PATROL PATROL GR 2.8 TD 2WD Y60 (1988-1997)



SELVSPÆRRENDE DIFFERENTIALE BAG (4x2)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Skift alle 40000 km/ 48 måneder

SERVOSTYRING

Kapacitet: 1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 2032		

Kontroller alle 20000 km/ 12 måneder

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 20000 km/ 12 måneder

KØLESYSTEM

Kapacitet: 13,6 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

Skift alle 40000 km/ 48 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.