

OPEL CAMPO CAMPO 2.3 (4X4) (1991-1994)



MOTOR 4ZD1

Kapacitet: 3,5 liter, Filterkapacitet: 0,3 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SCD 30

Skift alle 15000 km/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

PRODUKTANBEFALING 2

Bi-Turbo 15W-40

PRODUKTANBEFALING 3

Bi-Turbo 20W-50

Skift alle 15000 km/ 12 måneder

DIFFERENTIALE BAG

Kapacitet: 1,5 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

DIFFERENTIALE FOR

Kapacitet: 1 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

OPEL CAMPO CAMPO 2.3 (4X4) (1991-1994)



GEAR MANUEL/REDUKTIONSGEARKASSE 5/1

Kapacitet: 4,4 liter

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Multifleet SCD 40	HDX 40

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	
Asyntho 5W-30	

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,5 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	
Gearlube Racing 75W-140	

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	
Gearlube LS 80W-90	

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	
Drauliquid DOT 3	

Skift alle 15000 km/ 12 måneder

OPEL CAMPO CAMPO 2.3 (4X4) (1991-1994)



HYDRAULISK KOBLINGSSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 15000 km/ 12 måneder

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Kontroller alle 24 måneder/ 30000 km

KØLESYSTEM

Kapacitet: 9 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Coolant SP 11		

Kontroller alle 15000 km/ 12 måneder

STYREHUS

Kapacitet: 0,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 5015	Gearlube RPC 75W-80	SP Gear 1071

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.