

TOYOTA (EU) HI-ACE HI-ACE 2.4i 2WD (1990-1995)



MOTOR 2RZ-E, 2RZ
Kapacitet: 4,1 liter, Filterkapacitet: 0,5 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Bi-Turbo 20W-50	Multifleet SHPD 20W-50	

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Asyntho 5W-30	Emperol 10W-40	Bi-Turbo 15W-40

Skift alle 10000 km/ 6 måneder

DIFFERENTIALE BAG (4x4)
Kapacitet: 2,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 5015	Gearlube RPC 75W-80	SP Gear 1071

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

GEAR AUTOMATISK
Kapacitet: 2,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Kontroller alle 20000 km/ 12 måneder, skift alle 60000 km/ 36 måneder

TOYOTA (EU) HI-ACE HI-ACE 2.4i 2WD (1990-1995)



GEAR MANUEL 4/1 Kapacitet: 2,4 liter		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Syngear 75W-90
Kontroller alle 20000 km/ 12 måneder, skift alle 100000 km/ 60 måneder		

GEAR MANUEL 5/1 Kapacitet: 2,2 liter		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Syngear 75W-90
Kontroller alle 20000 km/ 12 måneder, skift alle 100000 km/ 60 måneder		

SELVSPÆRRENDE DIFFERENTIALE BAG (4x4) Kapacitet: 2,2 liter		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Gearlube LS 80W-90		
Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder		

HYDRAULISK BREMSESYSTEM		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Drauliquid DOT 3		
Skift alle 40000 km/ 48 måneder		

HYDRAULISK KOBLINGSSYSTEM		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Drauliquid DOT 3		
Kontroller alle 1 måneder		

TOYOTA (EU) HI-ACE HI-ACE 2.4i 2WD (1990-1995)



SERVOSTYRING

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Kontroller alle 20000 km/ 12 måneder

SMØREPUNKTER/NIPLER HJULLEJER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Kontroller alle 20000 km/ 12 måneder

SMØREPUNKTER/NIPLER KUGLELED

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

Kontroller alle 20000 km/ 12 måneder

KØLESYSTEM

Kapacitet: 9 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

Skift alle 40000 km/ 48 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.