

# TOYOTA (USA / CAN) TUNDRA TUNDRA 5.7 V8 32V 4WD (USA) USK55/56/57 (2007-2009)



## MOTOR 3UR-FE

Kapacitet: 7 liter (Servicepåfyldning), Kapacitet: 8,4 liter (Tør efterfyld), Filterkapacitet: 0,4 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1       | PRODUKTANBEFALING 2      |
|---------------------------|--------------------------|
| <b>Presteza MSP 0W-20</b> | <b>Duranza ECO 5W-20</b> |

Skift alle 5000 mil/ 6 måneder

## DIFFERENTIALE BAG

Kapacitet: 3,45-3,75 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 |  |
|---------------------|--|
| <b>SP Gear 1071</b> |  |

Kontroller alle 15000 mil/ 18 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

| PRODUKTANBEFALING 1 |  |
|---------------------|--|
| <b>SP Gear 1071</b> |  |

Skift alle 15000 mil/ 18 måneder

## DIFFERENTIALE FOR

Kapacitet: 2,1 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 |  |
|---------------------|--|
| <b>SP Gear 1071</b> |  |

Kontroller alle 15000 mil/ 18 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

| PRODUKTANBEFALING 1 |  |
|---------------------|--|
| <b>SP Gear 1071</b> |  |

Skift alle 15000 mil/ 18 måneder

# TOYOTA (USA / CAN) TUNDRA TUNDRA 5.7 V8 32V 4WD (USA) USK55/56/57 (2007-2009)



**GEAR AUTOMATISK AB60F 6/1**  
Kapacitet: 3 liter (Servicepåfyldning), Kapacitet: 11,1 liter (Tør efterfyld), Kapacitet: 11,7 liter (Tørfyldning med bugseringspakke)

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

|                      |  |  |
|----------------------|--|--|
| PRODUKTANBEFALING 1  |  |  |
| <b>SP Matic 4036</b> |  |  |

Kontroller alle 30000 mil/ 36 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

|                      |  |  |
|----------------------|--|--|
| PRODUKTANBEFALING 1  |  |  |
| <b>SP Matic 4036</b> |  |  |

Kontroller alle 30000 mil/ 36 måneder, skift alle 60000 mil/ 72 måneder

**REDUKTIONSGEARKASSE**  
Kapacitet: 1,12 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

|                     |                           |                       |
|---------------------|---------------------------|-----------------------|
| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3   |
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b> |

Kontroller alle 30000 mil/ 36 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

|                     |                           |                       |
|---------------------|---------------------------|-----------------------|
| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3   |
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b> |

Kontroller alle 15000 mil/ 18 måneder, skift alle 30000 mil/ 36 måneder

**HYDRAULISK BREMSE- & KOBLINGSSYSTEM**

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

|                         |  |  |
|-------------------------|--|--|
| PRODUKTANBEFALING 1     |  |  |
| <b>Drauliquid DOT 3</b> |  |  |

Kontroller alle 5000 mil/ 6 måneder

**SERVOSTYRING**

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

|                      |                     |                        |
|----------------------|---------------------|------------------------|
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2 | PRODUKTANBEFALING 3    |
| <b>SP Matic 2032</b> | <b>ATF Almirol</b>  | <b>ATF Dexron II-D</b> |

Kontroller alle 5000 mil/ 6 måneder

# TOYOTA (USA / CAN) TUNDRA TUNDRA 5.7 V8 32V 4WD (USA) USK55/56/57 (2007-2009)



## KØLESYSTEM

Kapacitet: 12,1 liter, Kapacitet: 13 liter (Med bugseringspakke)

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

### PRODUKTANBEFALING 1

**Coolant SP 14+**

*Kontroller alle 15000 mil/ 18 måneder, skift alle 50000 mil/ 60 måneder*

| ANVEND           | KLIMA   |
|------------------|---------|
| Første skift kun | Moderat |

### PRODUKTANBEFALING 1

**Coolant SP 14+**

*Kontroller alle 15000 mil/ 18 måneder, skift alle 100000 mil/ 120 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*