

VAUXHALL BRAVA BRAVA 2.5 D (4X4) (1991-1994)



MOTOR 4JA1
Kapacitet: 4,3 liter

ANVEND
Normal

KLIMA
Tropisk

PRODUKTANBEFALING 1
Multifleet SCD 50

PRODUKTANBEFALING 2
Multifleet SCD 40

Skift alle 7500 km/ 12 måneder

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 30

Skift alle 7500 km/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Asyntho 5W-30

PRODUKTANBEFALING 2
Emperol 10W-40

PRODUKTANBEFALING 3
Bi-Turbo 15W-40

Skift alle 7500 km/ 12 måneder

ANVEND
Normal

KLIMA
Arktisk

PRODUKTANBEFALING 1
Multifleet SCD 10W

Skift alle 7500 km/ 12 måneder

DIFFERENTIALE BAG
Kapacitet: 1,8 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Gearlube GL-5 85W-140

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

PRODUKTANBEFALING 2
Unigear HS GL-3/GL-5 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

VAUXHALL BRAVA BRAVA 2.5 D (4X4) (1991-1994)



DIFFERENTIALE FOR

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

GEAR MANUEL 5/1

Kapacitet: 4,4 liter

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Multifleet SCD 40

PRODUKTANBEFALING 2

HDX 40

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,5 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

VAUXHALL BRAVA BRAVA 2.5 D (4X4)

(1991-1994)



HYDRAULISK BREMSESYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2
Drauliquid-S DOT 4

PRODUKTANBEFALING 3
Drauliquid DOT 3

Skift alle 15000 km/ 12 måneder

HYDRAULISK KOBLINGSSYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2
Drauliquid-S DOT 4

PRODUKTANBEFALING 3
Drauliquid DOT 3

Kontroller alle 15000 km/ 12 måneder

SERVOSTYRING

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2032

Kontroller alle 24 måneder/ 30000 km

KØLESYSTEM

Kapacitet: 7 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Coolant SP 11

Kontroller alle 15000 km/ 12 måneder

STYREHUS

Kapacitet: 0,4 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Gear 5015

PRODUKTANBEFALING 2
Gearlube RPC 75W-80

PRODUKTANBEFALING 3
SP Gear 1071

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.