HUSQVARNA TXC TXC 450 (2010-2013)



ENGINE/TRANSMISSION Capacity: 1,7 liter, Filter capacity: 0,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Expulsa RR 5W-50	
Change every 8 hours	
USE	CLIMATE
Initial service	Moderate
PRODUCT RECOMMENDATION 1	
Expulsa RR 5W-50	
Change every 3 hours	

HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	
Charles avenue A havena abanana avenue 40	L bassing	

Check every 4 hours, change every 40 hours

Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Normal		Moderate	
USE		CLIMATE	
HYDRAULIC CLUTCH SYSTEM Bren	nbo		

Check every 4 hours, change every 40 hours

HYDRAULIC CLUTCH SYSTEM Magura		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Fork Oil RR 10		
Check every 4 hours, change every 40 hours		

HUSQVARNA TXC TXC 450 (2010-2013)



COOLING SYSTEM Capacity: 1,1-1,3 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant -38 Organic NF	Coolant -26		
Check every 4 hours		·	

FRONT FORK Kayaba

We are unable to give a standard recommendation for this component. Please contact our service department.

FRONT FORK Marzocchi	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Fork Oil RR 5	

SHOCK ABSORBER REAR	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Fork Oil RR 5	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.