

KAWASAKI KAF/KAT/KDF (MULE) MULE 4010 4X4 DIESEL KAF 950F (2009-2014)



MOTOR

Kapacitet: 3,3 liter, Filterkapacitet: 0,3 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Emperol 10W-40	Bi-Turbo 20W-50

Skift alle 2000 km/ 12 måneder/ 100 timer

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	
Presteza MSP 5W-30	

Skift alle 2000 km/ 12 måneder/ 100 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Emperol 10W-40	Bi-Turbo 20W-50

Skift alle 1000 km/ 50 timer

ANVEND	KLIMA
Første Service	Koldt

PRODUKTANBEFALING 1	
Presteza MSP 5W-30	

Skift alle 1000 km/ 50 timer

DIFFERENTIALE FOR

Kapacitet: 0,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Gearlube Racing 75W-140	Gearlube LS 80W-90

Skift alle 10000 km/ 500 timer/ 12 måneder

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Gearlube Racing 75W-140	Gearlube LS 80W-90

Skift alle 1000 km/ 50 timer

KAWASAKI KAF/KAT/KDF (MULE) MULE

4010 4X4 DIESEL KAF 950F (2009-2014)

**REDUKTIONSGEARKASSE**

Kapacitet: 2,5 liter

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 10000 km/ 500 timer/ 12 måneder

ANVEND		KLIMA
Normal		Koldt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 5015	SP Gear 1071	

Skift alle 10000 km/ 500 timer/ 12 måneder

ANVEND		KLIMA
Første Service		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 1000 km/ 50 timer

ANVEND		KLIMA
Første Service		Koldt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 5015	SP Gear 1071	

Skift alle 1000 km/ 50 timer

HYDRAULISK BREMSESYSYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Skift alle 24 måneder

KØLESYSTEM

Kapacitet: 4,1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant -38 Organic NF		

Skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUKTANBEFALING

KAWASAKI KAF/KAT/KDF (MULE) MULE 4010 4X4 DIESEL KAF 950F (2009-2014)



information contained herein is subject to changes without notification.