

KAWASAKI KVF (BRUTE FORCE) BRUTE FORCE 750 4X4 /EPS KVF 750 G/H/J/LCF > (2012 OG EFTER)



MOTOR/GEARKASSE

Kapacitet: 2 liter (Servicepåfyldning), Kapacitet: 2,4 liter (Tør efterfyld), Filterkapacitet: 0,1 liter

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Expulsa RR 5W-50	Expulsa RR 15W-50	Expulsa RR 10W-40

Skift alle 1700 km/ 3 måneder/ 100 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Expulsa RR 5W-40		

Skift alle 1700 km/ 3 måneder/ 100 timer

ANVEND		KLIMA
Første Service		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Expulsa RR 5W-50	Expulsa RR 15W-50	Expulsa RR 10W-40

Skift alle 100 km/ 10 timer

ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
Expulsa RR 5W-40		

Skift alle 100 km/ 10 timer

DIFFERENTIALE BAG

Kapacitet: 0,72 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KAWASAKI KVF (BRUTE FORCE) BRUTE FORCE 750 4X4 /EPS KVF 750 G/H/J/LCF > (2012 OG EFTER)

**DIFFERENTIALE FOR**

Kapacitet: 0,4 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90*Skift alle 12 måneder*

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

SP Gear 5015

PRODUKTANBEFALING 2

SP Gear 1071*Skift alle 12 måneder*

ANVEND

Første Service

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90*Skift alle 100 km/ 10 timer*

ANVEND

Første Service

KLIMA

Koldt

PRODUKTANBEFALING 1

SP Gear 5015

PRODUKTANBEFALING 2

SP Gear 1071*Skift alle 100 km/ 10 timer***HYDRAULISK BREMSESYSYSTEM**

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4*Kontroller alle 3000 km/ 6 måneder, skift alle 24 måneder***KØLESYSTEM**

Kapacitet: 3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11*Skift alle 24 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUKTANBEFALING

KAWASAKI KVF (BRUTE FORCE) BRUTE FORCE 750 4X4 /EPS KVF 750 G/H/J/LCF > (2012 OG EFTER)



information contained herein is subject to changes without notification.