BMW G SERIES G 650 GS (2007-2010)



| ENGINE/TRANSMISSION Capacity: 2,3 liter | | |
|--|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | | |
| HDX 15W-40 | | |
| Check every 3000 km, change every 1000 | 0 km/ 12 months | |
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Expulsa RR 10W-40 | Expulsa 10W-40 | HDX 10W-40 |
| Check every 3000 km, change every 1000 | 0 km/ 12 months | |
| USE | | CLIMATE |
| Severe | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | | |
| HDX 15W-40 | | |
| Change every 5000 km/ 3 months | | |
| USE | | CLIMATE |
| Severe | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Expulsa RR 10W-40 | Expulsa 10W-40 | HDX 10W-40 |
| Change every 5000 km/ 3 months | | |
| | | |
| HYDRAULIC BRAKE SYSTEM | | |
| Capacity: 0-0 liter (Between min and max.) | | |

| PRODUCT RECOMMENDATION 1 Drauliquid-LV Super DOT 4 | PRODUCT RECOMMENDATION 2 Drauliquid-S DOT 4 | |
|--|---|----------|
| Normal | | Moderate |
| USE | | CLIMATE |

Change every 12 months

| GREASE POINTS/NIPPLES WHEEL BEARINGS | | | | |
|--------------------------------------|--------------------------|--------------------------|--|--|
| USE | | CLIMATE | | |
| Normal | | Moderate | | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 | | |
| Labora Grease | Q5 MP Calcep Grease EP 2 | MP Lithep Grease EP 2 | | |

Check every 10000 km

BMW G SERIES G 650 GS (2007-2010)



| COOLING SYSTEM Capacity: 1,4 liter | | | |
|---------------------------------------|--------------------------|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Coolant -38 Organic NF | Coolant -26 | | |
| Change avery 24 months | · | | |

Change every 24 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.