DUCATI 800 800 SS (2007-2007)



ENGINE/TRANSMISSION Capacity: 3,3 liter		
USE	CLIMATE	
Normal	Mediterranean	
PRODUCT RECOMMENDATION 1		
Expulsa RR 15W-50		
Change every 12000 km/ 12 months		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Expulsa RR 10W-40		
Change every 12000 km/ 12 months		
USE	CLIMATE	
Initial service	Mediterranean	
PRODUCT RECOMMENDATION 1		
Expulsa RR 15W-50		
Change every 1000 km/ 6 months		
USE	CLIMATE	
Initial service	Moderate	
PRODUCT RECOMMENDATION 1		
Expulsa RR 10W-40		
Change every 1000 km/ 6 months		

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		

Change every 36000 km/ 36 months

HYDRAULIC CLUTCH SYSTEM Capacity: 0-0 liter (Between min and ma	ax.)		
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
	·		

Change every 36000 km/ 36 months

DUCATI 800 800 SS (2007-2007)



GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Change every 12000 km/ 12 months

FRONT FORK Capacity: 415 CM3 (each side)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
ATF Dexron II-D	Fork Oil RR 5	

Change every 36000 km/ 36 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.