HARLEY-DAVIDSON DYNA FLD/FXD FXDX/I DYNA SUPER GLIDE SPORT (2000-2005)



ENGINE Twin Cam 88 Capacity: 2,84 liter			
USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1			
Bi-Turbo 20W-50			
Check every 4000 km, change every 8000 km/ 12 months			
USE		CLIMATE	
Acceptable		Mediterranean	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Bi-Turbo 15W-40	Bi-Turbo 20W-50		
USE		CLIMATE	
Acceptable		Cold	
PRODUCT RECOMMENDATION 1			
Emperol 10W-40			

PRIMARY CHAINDRIVE Capacity: 0,77 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Bi-Turbo 20W-50		
Check every 1 months, change every 8000 km		

TRANSMISSION 5 Capacity: 0,7 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Bi-Turbo 20W-50			
Check every 4000 km/1 months, change every 8000 km			

HYDRAULIC BRAKE SYSTEM

We are unable to give a standard recommendation for this component. Please contact our service department.

HARLEY-DAVIDSON DYNA FLD/FXD FXDX/I DYNA SUPER GLIDE SPORT (2000-2005)



Oharakaran 2000 kwa 104 masaka			
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	Multi Purpose Grease 3	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Normal		Moderate	
USE		CLIMATE	
GREASE POINTS/NIPPLES			

Check every 8000 km/24 months

information contained herein is subject to changes without notification.

FRONT FORK Capacity: 0,79 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus H 46	
Change every 16000 km/ 12 months	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the