

HARLEY-DAVIDSON SPORTSTER XL/XR

XLH 1000 SPORTSTER (1972-1978)



ENGINE Ironhead
Capacity: 2,8 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Monograde 50

Check every 1600 km, change every 3200 km/ 6 months

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Monograde 30

Check every 1600 km, change every 3200 km/ 6 months

USE	CLIMATE
Initial service	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Monograde 50

Change every 800 km

USE	CLIMATE
Initial service	Cold

PRODUCT RECOMMENDATION 1

Classic Monograde 30

Change every 800 km

TRANSMISSION 4
Capacity: 0,7 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Monograde 50

Check every 1600 km, change every 8000 km/ 12 months

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Monograde 30

Check every 1600 km, change every 8000 km/ 12 months

HYDRAULIC BRAKE SYSTEM

Capacity: 0-0 liter (Between min and max.)

We are unable to give a standard recommendation for this component. Please contact our service department.

HARLEY-DAVIDSON SPORTSTER XL/XR XLH 1000 SPORTSTER (1972-1978)

**FRONT FORK**

Capacity: 177 CM3 (Dry fill), Capacity: 148 CM3 (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Perlus H 46*Change every 8000 km/ 12 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.