## KTM 1190 ADVENTURE 1190 ADVENTURE (EDS) (2014-2014)



ENGINE/TRANSMISSION Capacity: 3,6 liter	
JSE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Expulsa RR 5W-50	
Change every 15000 km/ 12 months	
JSE	CLIMATE
Normal	Arctic
PRODUCT RECOMMENDATION 1	
Expulsa RR 5W-40	
Change every 15000 km/ 12 months	
JSE	CLIMATE
Initial service	Mediterranean
PRODUCT RECOMMENDATION 1	
Expulsa RR 5W-50	
Change every 1000 km	
JSE	CLIMATE
Initial service	Arctic
PRODUCT RECOMMENDATION 1	
Expulsa RR 5W-40	
Change every 1000 km	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Drauliquid DOT 5.1	Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Change every 24 months				

## HYDRAULIC CLUTCH SYSTEM

Capacity: 0-0 liter (Between min and max.)

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

## KTM 1190 ADVENTURE 1190 ADVENTURE (EDS) (2014-2014)



COOLING SYSTEM Capacity: 2,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -38 Organic NF	
Change every 48 months	

FRONT FORK WP 4860 ROTA SPLIT Capacity: 675 CM3 (each leg)

We are unable to give a standard recommendation for this component. Please contact our service department.

## SHOCK ABSORBER REAR WP 4614 WAD EDS

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.