# **KTM 350 350 XC-F (USA)** (2013-2013)



ENGINE/TRANSMISSION Capacity: 1,1 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Expulsa RR 5W-50			
Change every 10 hours/ 70 liter consumed fuel			
USE		CLIMATE	
Initial service		Moderate	
PRODUCT RECOMMENDATION 1			
Expulsa RR 5W-50			
Change every 1 hours/ 7 liter consumed fu	iel		

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Drauliquid DOT 5.1	Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Change every 12 months	-			

HYDRAULIC CLUTCH SYSTEM Capacity: 0-0 liter (Between min and ma	ıx.)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid DOT 5.1	Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4
Change every 12 months		

COOLING SYSTEM Capacity: 0,95 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -38 Organic NF	

### FRONT FORK WP 4860 MXMA CC

Capacity: 195 CM3 (cartridge each), Capacity: 380 CM3 (each leg without cartridge)

We are unable to give a standard recommendation for this component. Please contact our service department.

#### PRODUCT RECOMMENDATION

## KTM 350 350 XC-F (USA) (2013-2013)



#### SHOCK ABSORBER REAR WP 5018 BAVP DCC

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.