## **PEUGEOT KISBEE KISBEE 100** (2010-2019)



Normal  Normal  Moderate  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 2000 km/ 6 months  USE Severe  Moderate  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE  Severe  Moderate  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE  Initial service  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 2  USE  Normal  PRODUCT RECOMMENDATION 2  USE  Normal  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90  Change every 5000 km/ 48 months	ENGINE Capacity: 0,8 liter		
PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 2000 km/ 6 months  USE Severe Moderate  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE USE Initial service PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 4000 km/ 6 months  USE Initial service PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE Normal  PRODUCT RECOMMENDATION 1  BY Normal  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	USE		CLIMATE
Expulsa RR 5W-40  Change every 2000 km/ 6 months  USE Severe Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE Initial service PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  USE  CLIMATE Moderate  Moderate  FINAL REDUCTION Capacity: 0,12 liter  USE Normal  PRODUCT RECOMMENDATION 1  BY Moderate  CLIMATE Moderate  CLIMATE Moderate  Moderate  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	Normal		Moderate
Change every 2000 km/ 6 months  USE Severe Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE USE Initial service Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE Severe USE Normal PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90  CLIMATE Moderate	PRODUCT RECOMMENDATION 1		
Severe Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE CLIMATE Initial service Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE CLIMATE Moderate  Moderate  FINAL REDUCTION Capacity: 0,12 liter  USE Normal PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  USE CLIMATE Moderate  PRODUCT RECOMMENDATION 1 USE Moderate  PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90	Expulsa RR 5W-40		
Severe Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE CLIMATE Initial service Moderate  PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE CLIMATE Moderate  FUNDAMENDATION CAPACITY OF CLIMATE Moderate  PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90	Change every 2000 km/ 6 months		
PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE  Initial Service  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 1  Gearlube GL-4 80W-90  Unigear HS GL-3/GL-5 80W-90	USE		CLIMATE
Expulsa RR 5W-40  Change every 1000 km/ 6 months  USE Initial service PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE Normal PRODUCT RECOMMENDATION 1 Gearlube GL-4 80W-90  Unigear HS GL-3/GL-5 80W-90	Severe		Moderate
Change every 1000 km/ 6 months  USE Initial service PRODUCT RECOMMENDATION 1 Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE Normal PRODUCT RECOMMENDATION 1 BY CLIMATE Moderate  PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90	PRODUCT RECOMMENDATION 1		
USE Initial service  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 1  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	Expulsa RR 5W-40		
Initial service  PRODUCT RECOMMENDATION 1  Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 1  PRODUCT RECOMMENDATION 2  Gearlube GL-4 80W-90  Unigear HS GL-3/GL-5 80W-90	Change every 1000 km/ 6 months		
Expulsa RR 5W-40  Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 1  PRODUCT RECOMMENDATION 2  Gearlube GL-4 80W-90  Unigear HS GL-3/GL-5 80W-90	USE		CLIMATE
Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 1  Gearlube GL-4 80W-90  Change every 500 km/ 1 months  CLIMATE  Moderate  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	Initial service		Moderate
Change every 500 km/ 1 months  FINAL REDUCTION Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 1  Gearlube GL-4 80W-90  Product RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	PRODUCT RECOMMENDATION 1		
FINAL REDUCTION Capacity: 0,12 liter  use  Normal  PRODUCT RECOMMENDATION 2  Gearlube GL-4 80W-90  FINAL REDUCTION CLIMATE Moderate  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	Expulsa RR 5W-40		
Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 2  Gearlube GL-4 80W-90  CLIMATE  Moderate  Moderate  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90	Change every 500 km/ 1 months		
Capacity: 0,12 liter  USE  Normal  PRODUCT RECOMMENDATION 2  Gearlube GL-4 80W-90  CLIMATE  Moderate  Moderate  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90			
Normal  PRODUCT RECOMMENDATION 1  Gearlube GL-4 80W-90  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90			
Normal  PRODUCT RECOMMENDATION 1  Gearlube GL-4 80W-90  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90			
PRODUCT RECOMMENDATION 1  PRODUCT RECOMMENDATION 2  Unigear HS GL-3/GL-5 80W-90  Unigear HS GL-3/GL-5 80W-90			
Gearlube GL-4 80W-90 Unigear HS GL-3/GL-5 80W-90		PROBLICAT RESOLUTION OF THE STATE OF THE STA	- Moderate
		Onigeal no GL-3/GL-3 80W-90	

06		2500	1 /	01	
Change	everv	2500	KIII/	24	months

PRODUCT RECOMMENDATION 1

Gearlube GL-4 80W-90

use Initial service		climate Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	
Change every 500 km/ 1 months		

Unigear HS GL-3/GL-5 80W-90

PRODUCT RECOMMENDATION 2

Severe

CLIMATE

Moderate

## **PEUGEOT KISBEE KISBEE 100** (2010-2019)



HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Change every 24 months			

	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	
Perlus H 46	

Change every 20000 km/48 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Fork Oil RR 10	Perlus H 46	

Change every 10000 km/48 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.