

# PIAGGIO X SERIES X9 EVOLUTION 250 (2007-2008)



<b>ENGINE</b> Capacity: 1,3 liter		
USE	CLIMATE	
Normal	Moderate	

PRODUCT RECOMMENDATION 1 <b>Expulsa RR 5W-40</b>		
---	--	--

*Check every 3000 km, change every 6000 km/ 12 months*

USE	CLIMATE	
Initial service	Moderate	

PRODUCT RECOMMENDATION 1 <b>Expulsa RR 5W-40</b>		
---	--	--

*Change every 1000 km*

<b>HUB REDUCTIONS REAR</b> Capacity: 0,15 liter		
--	--	--

USE	CLIMATE	
Normal	Moderate	

PRODUCT RECOMMENDATION 1 <b>Gearlube GL-4 80W-90</b>	PRODUCT RECOMMENDATION 2 <b>Unigear HS GL-3/GL-5 80W-90</b>	
---	--	--

*Check every 6000 km/ 12 months, change every 24000 km*

USE	CLIMATE	
Initial service	Moderate	

PRODUCT RECOMMENDATION 1 <b>Gearlube GL-4 80W-90</b>	PRODUCT RECOMMENDATION 2 <b>Unigear HS GL-3/GL-5 80W-90</b>	
---	--	--

*Change every 1000 km*

<b>HYDRAULIC BRAKE SYSTEM</b> Capacity: 0-0 liter (Between min and max.)		
---	--	--

USE	CLIMATE	
Normal	Moderate	

PRODUCT RECOMMENDATION 1 <b>Drauliquid-LV Super DOT 4</b>	PRODUCT RECOMMENDATION 2 <b>Drauliquid-S DOT 4</b>	
--	---	--

*Check every 6000 km/ 12 months, change every 24 months*

USE	CLIMATE	
Initial service	Moderate	

PRODUCT RECOMMENDATION 1 <b>Drauliquid-LV Super DOT 4</b>	PRODUCT RECOMMENDATION 2 <b>Drauliquid-S DOT 4</b>	
--	---	--

*Check every 1000 km*

# PIAGGIO X SERIES X9 EVOLUTION 250 (2007-2008)



## COOLING SYSTEM

Capacity: 1,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant -38 Organic NF**

PRODUCT RECOMMENDATION 2

**Coolant -26**

*Check every 6000 km/ 12 months, change every 24 months*

## FRONT FORK

Capacity: 0,14 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Fork Oil RR 10**

*Check every 12000 km/ 24 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*