SUZUKI LT LT-A 700 X KING QUAD (2005-2007)



ENGINE Capacity: 3 liter (Dry fill), Capacity: 2,5 liter (Service fill), Filter capacity: 0,2 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Expulsa RR 5W-40	Expulsa RR 10W-40	Expulsa 10W-40	
Change every 2000 km/ 6 months			
USE		CLIMATE	
Initial service		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Expulsa RR 5W-40	Expulsa RR 10W-40	Expulsa 10W-40	
Change every 200 km/ 1 months	·		

DIFFERENTIAL FRONT Capacity: 0,5 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90		

Check every 2000 km/6 months, change every 24 months

FINAL REDUCTION Capacity: 0,77 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Check every 2000 km/ 6 months, cha	ge every 24 months	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Check every 1000 km/ 3 months, chan	ge every 24 months		

PRODUCT RECOMMENDATION

SUZUKI LT LT-A 700 X KING QUAD (2005-2007)



COOLING SYSTEM Capacity: 2,2 liter (Engine only), Capacity: 0,25 liter (Reservoir)				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
Coolant -38 Organic NF				
Change every 24 months	·			

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.