YAMAHA YQ AEROX YQ 50 L AEROX 4B01

(2005-2016)



| ENGINE + AUTOMATIC LUBRICATION Capacity: 1,4 liter | | | |
|--|--------------------------|--------------------------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 | |
| Tornado | Scoosynth | Maestrol | |

| HUB REDUCTIONS REAR Capacity: 0,11 liter | | |
|---|--------------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Expulsa RR 10W-40 | Expulsa 10W-40 | HDX 10W-40 |
| Check every 3000 km/ 6 months, c | hange every 12000 km/24 months | |

| HYDRAULIC BRAKE SYSTEM FRONT AND REAR | | | |
|---------------------------------------|--------------------------|--------------------------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 | |
| Drauliquid-LV Super DOT 4 | Drauliquid-S DOT 4 | Drauliquid DOT 3 | |
| Check every 3000 km/ 6 months | | | |

| GREASE POINTS/NIPPLES | | |
|----------------------------------|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Labora Grease | Q5 MP Calcep Grease EP 2 | MP Lithep Grease EP 2 |
| Check every 3000 km/ 6 months, c | · | |

| COOLING SYSTEM Capacity: 0,25 liter (Reservoir), Capacity: 1,2 liter (Total) | | |
|--|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Coolant -38 Organic NF | | |
| Check every 3000 km/ 6 months, change every 12000 km/ 24 months | | |

YAMAHA YQ AEROX YQ 50 L AEROX 4B01 (2005-2016)



| FRONT FORK Capacity: 0,09 liter | |
|------------------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Fork Oil RR 10 | |
| Check every 3000 km/ 6 months | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.