

# AUDI (EU) A5, S5, RS 5 8T A5 3.2 FSI QUATTRO (2007-2012)



**MOTOR CALA**  
Kapacitet: 6,2 liter

ANVEND

Forlænget interval (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

**Helar SP LL-03 5W-30**

*Skift alle 30000 km/ 24 måneder*

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Helar 0W-40**

PRODUKTANBEFALING 2

**Emperol 5W-40**

PRODUKTANBEFALING 3

**Asyntho 5W-30**

*Skift alle 15000 km/ 12 måneder*

**DIFFERENTIALE BAG 0BC**  
Kapacitet: 0,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Gear 1011**

PRODUKTANBEFALING 2

**Syngear TDL 75W-90**

*Kontroller alle 24 måneder/ 30000 km*

**DIFFERENTIALE BAG 0BD**  
Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Gear 1011**

PRODUKTANBEFALING 2

**Syngear TDL 75W-90**

**DIFFERENTIALE BAG 0BF**  
Kapacitet: 0,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Gear 1011**

PRODUKTANBEFALING 2

**Syngear TDL 75W-90**

# AUDI (EU) A5, S5, RS 5 8T A5 3.2 FSI QUATTRO (2007-2012)



## DIFFERENTIALE BAG AKTIVERING

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>SP Gear 1081</b> |  |         |

## DIFFERENTIALE FRA EN AUTOMATISK

Kapacitet: 1,1 liter

| ANVEND              |                           | KLIMA   |
|---------------------|---------------------------|---------|
| Normal              |                           | Moderat |
| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       |         |
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> |         |

## GEAR AUTOMATISK 0B6 6/1

Kapacitet: 8,6-9 liter (Tør efterfyld)

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 2034</b> |  |         |

Kontroller alle 24 måneder/ 30000 km

## GEAR S-TRONIC GEARKASSEDEL 0B5 (DL501) 7/1

Kapacitet: 4,35 liter (Tør efterfyld)

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 2072</b> |  |         |

## GEAR S-TRONIC KOBLINGSDEL 0B5 (DL501)

Kapacitet: 6,7 liter (Servicepåfyldning), Kapacitet: 7 liter (Tørfyldning, uden oliekoeler), Kapacitet: 7,5 liter (Tøropfyldning, med oliekoeler)

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 2072</b> |  |         |

# AUDI (EU) A5, S5, RS 5 8T A5 3.2 FSI QUATTRO (2007-2012)



## TRANSAKSEL MANUEL/REDUKTIONSGEARKASSE 0B2 6/1

Kapacitet: 4,5 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1  |  |  |
|----------------------|--|--|
| <b>SP Matic 2072</b> |  |  |

Kontroller alle 24 måneder/ 30000 km

## TRANSFERGEARKASSE FRA AUTOMATISK

Kapacitet: 0,5 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1    |  |  |
|------------------------|--|--|
| <b>SP Gear LS 1015</b> |  |  |

## HYDRAULISK BREMSE- & KOBLINGSSYSTEM

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1              |  |  |
|----------------------------------|--|--|
| <b>Drauliquid-LV Super DOT 4</b> |  |  |

Skift alle 24 måneder

## SERVOSTYRING

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1  |  |  |
|----------------------|--|--|
| <b>SP Fluid 3013</b> |  |  |

Kontroller alle 24 måneder/ 30000 km

## KØLESYSTEM

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1      |  |  |
|--------------------------|--|--|
| <b>Coolant SP 12 EVO</b> |  |  |

Kontroller alle 24 måneder/ 30000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.