AUDI (EU) R8 SPYDER 429 R8 SPYDER GT (2011-2012)



ENGINE CMPA

Capacity: 8,3 liter (Fill with 7 L. Idle 30 seconds. Turn off engine. Add 1.3 L.)

We are unable to give a standard recommendation for this component. Please contact our service department.

DIFFERENTIAL FRONT 0AZ Capacity: 1,5 liter (Dry fill), Capacity: 1,4 lit	er (Service fill)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1011	Syngear TDL 75W-90	

TRANSAXLE SEMI-AUTOMATIC R TROI Capacity: 3,5 liter, Capacity: 4 liter (+ Tran		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		
	-	

HYDRAULIC ACTUATION CONVERTIBLE ROOF		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		
		1

HYDRAULIC ACTUATION GEARBO Capacity: 0,9 liter	X R-Tronic	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

CLIMATE
Moderate

AUDI (EU) R8 SPYDER 429 R8 SPYDER GT (2011-2012)



POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	

COOLING SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 12 EVO	

AIRCONDITIONING COMPRESSOR

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.