

# BMW (EU) SERIE 3 E90 / E91 / E92 330D XDRIVE (2008-2013)



**MOTOR** N57  
Kapacitet: 7,5 liter

**ANVEND**  
Fleksibel (max)

**KLIMA**  
Moderat

**PRODUKTANBEFALING 1**  
**Helar SP LL-03 5W-30**

**PRODUKTANBEFALING 2**  
**Presteza MSP 5W-30**

**PRODUKTANBEFALING 3**  
**Helar MSP+ 5W-40**

*Skift alle 30000 km/ 24 måneder*

**DIFFERENTIALE BAG FRA OG MED 07/2011**  
Kapacitet: 1,2 liter

**ANVEND**  
Normal

**KLIMA**  
Moderat

**PRODUKTANBEFALING 1**  
**SP Gear 1011**

**PRODUKTANBEFALING 2**  
**Syngear TDL 75W-90**

**DIFFERENTIALE BAG OP TIL 07/2011**  
Kapacitet: 1,2 liter

**ANVEND**  
Normal

**KLIMA**  
Moderat

**PRODUKTANBEFALING 1**  
**SP Gear 1011**

**PRODUKTANBEFALING 2**  
**Syngear TDL 75W-90**

**DIFFERENTIALE FOR FRA OG MED 07/2011**  
Kapacitet: 0,6 liter

**ANVEND**  
Normal

**KLIMA**  
Moderat

**PRODUKTANBEFALING 1**  
**SP Gear 1071**

**DIFFERENTIALE FOR OP TIL 07/2011**  
Kapacitet: 0,6 liter

**ANVEND**  
Normal

**KLIMA**  
Moderat

**PRODUKTANBEFALING 1**  
**SP Gear 1011**

**PRODUKTANBEFALING 2**  
**Syngear TDL 75W-90**

# BMW (EU) SERIE 3 E90 / E91 / E92 330D XDRIVE (2008-2013)



## GEAR AUTOMATISK ZF 6HP26 6/1

Kapacitet: 9-10 liter

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 4026</b> |  |         |

## GEAR MANUEL ZF GS6-53BZ/DZ 6/1

Kapacitet: 1,5 liter (Servicepåfyldning), Kapacitet: 1,6 liter (Tørfyldning, uden oliekløler), Kapacitet: 2,2 liter (Tøropfyldning, med oliekløler)

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>SP Gear 5015</b> |  |         |

## REDUKTIONSGEARKASSE ATC 300

Kapacitet: 0,52 liter

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>SP Gear 1081</b> |  |         |

## HYDRAULISK BREMSE/KOBLINGSSYSTEM DSC

| ANVEND                           |  | KLIMA   |
|----------------------------------|--|---------|
| Normal                           |  | Moderat |
| PRODUKTANBEFALING 1              |  |         |
| <b>Drauliquid-LV Super DOT 4</b> |  |         |

Skift alle 24 måneder

| ANVEND                           |  | KLIMA   |
|----------------------------------|--|---------|
| Krævende                         |  | Moderat |
| PRODUKTANBEFALING 1              |  |         |
| <b>Drauliquid-LV Super DOT 4</b> |  |         |

Skift alle 12 måneder

# BMW (EU) SERIE 3 E90 / E91 / E92 330D XDRIVE (2008-2013)



## SERVOSTYRING MED AFS/ARS (CHF-DÆKSEL)

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Fluid 3013</b> |  |         |

## SERVOSTYRING SEPARAT SYSTEM

| ANVEND                 |  | KLIMA   |
|------------------------|--|---------|
| Normal                 |  | Moderat |
| PRODUKTANBEFALING 1    |  |         |
| <b>ATF Dexron II-D</b> |  |         |

## KØLESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>Coolant SP 11</b> |  |         |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*