

BMW (EU) SERIE 3 E90 / E91 / E92 330I XDRIVE N52B30 (2008-2013)



MOTOR N52B30
Kapacitet: 6,5 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar SP LL-03 0W-30

PRODUKTANBEFALING 2

Helar SP LL-03 5W-30

PRODUKTANBEFALING 3

Presteza MSP 5W-30

Skift alle 25000 km/ 24 måneder

DIFFERENTIALE BAG FRA OG MED 07/2011

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

DIFFERENTIALE BAG OP TIL 07/2011

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

DIFFERENTIALE FOR FRA OG MED 07/2011

Kapacitet: 0,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE FOR OP TIL 07/2011

Kapacitet: 0,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

BMW (EU) SERIE 3 E90 / E91 / E92 330I XDRIVE N52B30 (2008-2013)



GEAR AUTOMATISK ZF 6HP19 6/1

Kapacitet: 9 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 4026		

GEAR MANUEL ZF GS6-37BZ/DZ 6/1

Kapacitet: 1,6 liter (Førstegangsopfyldning), Kapacitet: 1,5 liter (Servicepåfyldning)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Gear 5015		

REDUKTIONSGEARKASSE

Kapacitet: 0,52 liter (Førstegangsopfyldning)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Gear 1081		

HYDRAULISK BREMSE/KOBLINGSSYSTEM DSC

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid-LV Super DOT 4		

Skift alle 24 måneder

ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1		
Drauliquid-LV Super DOT 4		

Skift alle 12 måneder

SERVOSTYRING MED AFS/ARS (CHF-DÆKSEL)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Fluid 3013		

BMW (EU) SERIE 3 E90 / E91 / E92 330i XDRIVE N52B30 (2008-2013)



SERVOSTYRING SEPARAT SYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

KØLESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.