

BMW (EU) SERIE 7 F01 / F02 / F03 / F04 740D XDRIVE (2010-2012)



MOTOR N57SD30
Kapacitet: 6,5-7,2 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Helar SP LL-03 5W-30

PRODUKTANBEFALING 2

Presteza MSP 5W-30

PRODUKTANBEFALING 3

Helar MSP+ 5W-40

Skift alle 30000 km/ 24 måneder

DIFFERENTIALE BAG FRA OG MED 07/2011
Kapacitet: 0,9 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

DIFFERENTIALE BAG OP TIL 07/2011
Kapacitet: 0,9 liter

ANVEND
Fylt på livstid

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

DIFFERENTIALE FOR FRA OG MED 07/2011
Kapacitet: 0,65 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE FOR OP TIL 07/2011
Kapacitet: 0,65 liter

ANVEND
Fylt på livstid

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

BMW (EU) SERIE 7 F01 / F02 / F03 / F04 740D XDRIVE (2010-2012)



GEAR AUTOMATISK ZF GA8HP 8/1

Kapacitet: 8,5 liter

ANVEND

Fylt på livstid

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2034

REDUKTIONSGEARKASSE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1081

HYDRAULISK BREMSE-/KOPLINGSSYSTEM ABS

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

Skift alle 24 måneder

SERVOSTYRING MED AKTIV FRONTSTYRING/AKTIV RULLESTABILISERING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

SERVOSTYRING SEPARAT SYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

BMW (EU) SERIE 7 F01 / F02 / F03 / F04 740D XDRIVE (2010-2012)



KØLESYSTEM

Kapacitet: 8,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.