

# CHEVROLET (USA / CAN) EXPRESS GMT610 EXPRESS 4.8 V8 (2004-2005)



**MOTOR LR4**  
Kapacitet: 5,7 liter

| ANVEND          | KLIMA   |
|-----------------|---------|
| Fleksibel (max) | Moderat |

| PRODUKTANBEFALING 1       | PRODUKTANBEFALING 2   |  |
|---------------------------|-----------------------|--|
| <b>Presteza MSP 5W-30</b> | <b>Xedoz FE 5W-30</b> |  |

*Skift alle 12 måneder*

**DIFFERENTIALE BAG**  
Kapacitet: 2,03-3,13 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       |  |
|---------------------|---------------------------|--|
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> |  |

**GEAR AUTOMATISK 4L60-E 4/1**  
Kapacitet: 10,6 liter (Overhaling kapacitet), Kapacitet: 4,7 liter (Servicepåfyldning)

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2 |  |
|----------------------|---------------------|--|
| <b>SP Matic 2032</b> | <b>ATF Almirol</b>  |  |

*Kontroller alle 6 måneder, skift alle 100000 mil*

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2 |  |
|----------------------|---------------------|--|
| <b>SP Matic 2032</b> | <b>ATF Almirol</b>  |  |

*Kontroller alle 6 måneder, skift alle 50000 mil*

# CHEVROLET (USA / CAN) EXPRESS GMT610 EXPRESS 4.8 V8 (2004-2005)



## GEAR AUTOMATISK 4L80-E 4/1

Kapacitet: 12,8 liter (Overhaling kapacitet), Kapacitet: 7,3 liter (Servicepåfyldning)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2032**

PRODUKTANBEFALING 2

**ATF Almirol**

*Kontroller alle 6 måneder, skift alle 100000 mil*

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2032**

PRODUKTANBEFALING 2

**ATF Almirol**

*Kontroller alle 6 måneder, skift alle 50000 mil*

## HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid DOT 3**

*Skift alle 24 måneder*

## SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**ATF Almirol**

## HJULLEJER FOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**HT Q9 High Grade Grease**

# CHEVROLET (USA / CAN) EXPRESS GMT610 EXPRESS 4.8 V8 (2004-2005)



## KØLESYSTEM

Kapacitet: 12,7 liter, Kapacitet: 15,5 liter (+ bageste varmer)

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Coolant SP 15**

### PRODUKTANBEFALING 2

**Coolant SP 15+**

*Kontroller alle 6 måneder, skift alle 150000 mil/ 60 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*