CHEVROLET (USA / CAN) IMPALA IMPALA 2.4 ECOTEC DOHC (2014-2014)



| ENGINE LUK Capacity: 4,7 liter | |
|------------------------------------|----------|
| USE | CLIMATE |
| Flexible (max) | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Presteza MSP 5W-30 | |
| Change every 7500 miles/ 12 months | · |

| TRANSAXLE AUTOMATIC 6T40 (MHH) 6/1 Capacity: 8,12 liter | | | | |
|---|-----------|----------|--|--|
| USE | | CLIMATE | | |
| Normal | | Moderate | | |
| PRODUCT RECOMMENDATION 1 | | | | |
| SP Matic 4036 | | | | |
| Check every 7500 miles, change every 97 | 500 miles | | | |
| USE | | CLIMATE | | |
| Severe | | Moderate | | |
| PRODUCT RECOMMENDATION 1 | | | | |
| SP Matic 4036 | | | | |
| Check every 7500 miles, change every 45 | 000 miles | | | |

| HYDRAULIC BRAKE SYSTEM | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Drauliquid DOT 3 | |
| Check every 7500 miles, change every 45000 miles/ 36 months | · |

| COOLING SYSTEM Capacity: 9,6 liter | | |
|------------------------------------|------------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 15 | Coolant SP 15+ | |
| Check every 7500 miles, change e | very 150000 miles/ 60 months | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.