

# CHRYSLER (USA / CAN) LEBARON AJ LEBARON 2.2 TURBO (USA) (1988-1991)



## MOTOR

Kapacitet: 3,8 liter

### ANVEND

Normal

### KLIMA

Middelhavsagtigt

### PRODUKTANBEFALING 1

**Bi-Turbo 15W-40**

*Skift alle 12000 km/ 12 måneder*

## TRANSAKSEL AUTOMATISK

Kapacitet: 3,8 liter

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**SP Matic 4026**

### PRODUKTANBEFALING 2

**ATF Dexron II-D**

## TRANSAKSEL MANUEL 5/1

Kapacitet: 2,1 liter

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Asyntho 5W-30**

*Kontroller alle 12000 km/ 6 måneder*

### ANVEND

Krævende

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Asyntho 5W-30**

*Skift alle 24000 km/ 24 måneder*

## HYDRAULISK BREMSESYSTEM

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Drauliquid DOT 3**

*Skift alle 24 måneder*

# CHRYSLER (USA / CAN) LEBARON AJ LEBARON 2.2 TURBO (USA) (1988-1991)



## SERVOSTYRING

Kapacitet: 0,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 4026**

## SMØREPUNKTER/NIPLER AFFJEDRING FOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**HT Q9 High Grade Grease**

PRODUKTANBEFALING 2

**Labora Grease**

*Kontroller alle 48000 km/ 36 måneder*

## SMØREPUNKTER/NIPLER ANDRE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Q5 MP Calcep Grease EP 2**

PRODUKTANBEFALING 2

**MP Lithep Grease EP 2**

*Kontroller alle 36000 km*

## SMØREPUNKTER/NIPLER HJULLEJER BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Q5 MP Calcep Grease EP 2**

PRODUKTANBEFALING 2

**MP Lithep Grease EP 2**

*Skift alle 36000 km*

## SMØREPUNKTER/NIPLER KARDANAKSLENS SAMLINGER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**HT Q9 High Grade Grease**

PRODUKTANBEFALING 2

**Labora Grease**

*Kontroller alle 48000 km/ 36 måneder*

# CHRYSLER (USA / CAN) LEBARON AJ LEBARON 2.2 TURBO (USA) (1988-1991)



## SMØREPUNKTER/NIPLER KUGLELED

| ANVEND                         |                      | KLIMA   |
|--------------------------------|----------------------|---------|
| Normal                         |                      | Moderat |
| PRODUKTANBEFALING 1            | PRODUKTANBEFALING 2  |         |
| <b>HT Q9 High Grade Grease</b> | <b>Labora Grease</b> |         |

Kontroller alle 48000 km/ 36 måneder

## KØLESYSTEM

Kapacitet: 8,5 liter

| ANVEND                        |  | KLIMA   |
|-------------------------------|--|---------|
| Normal                        |  | Moderat |
| PRODUKTANBEFALING 1           |  |         |
| <b>Coolant -38 Organic NF</b> |  |         |

Skift alle 48000 mil/ 36 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.