

# CITROËN C-CROSSER C-CROSSER 2.4 16V

(2007-2009)



**ENGINE** Mivec 4B12  
Capacity: 4,6 liter, Filter capacity: 0,3 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3 |
|--------------------------|---------------------------|--------------------------|
| <b>Avanza MSP 0W-30</b>  | <b>Presteza MSP 5W-30</b> | <b>Avanza MSP+ 5W-30</b> |

*Change every 20000 km/ 12 months*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3 |
|--------------------------|---------------------------|--------------------------|
| <b>Avanza MSP 0W-30</b>  | <b>Presteza MSP 5W-30</b> | <b>Avanza MSP+ 5W-30</b> |

*Change every 15000 km/ 12 months*

**DIFFERENTIAL REAR**  
Capacity: 0,5 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1  |  |  |
|---------------------------|--|--|
| <b>Gearlube LS 80W-90</b> |  |  |

*Check every 15000 km/ 12 months*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1  |  |  |
|---------------------------|--|--|
| <b>Gearlube LS 80W-90</b> |  |  |

*Check every 10000 km/ 12 months*

**TRANSAXLE AUTOMATIC** AM6 6/1  
Capacity: 7,6 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 |  |  |
|--------------------------|--|--|
| <b>SP Matic 4026</b>     |  |  |

*Check every 15000 km/ 12 months*

# CITROËN C-CROSSER C-CROSSER 2.4 16V

(2007-2009)



**TRANSAXLE MANUAL** W6MBA (BG6) 6/1  
Capacity: 2 liter

| USE                      |                            | CLIMATE  |
|--------------------------|----------------------------|----------|
| Normal                   |                            | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2   |          |
| <b>SP Gear 5015</b>      | <b>Gearlube RPC 75W-80</b> |          |

Check every 15000 km/ 12 months

| USE                      |                            | CLIMATE  |
|--------------------------|----------------------------|----------|
| Severe                   |                            | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2   |          |
| <b>SP Gear 5015</b>      | <b>Gearlube RPC 75W-80</b> |          |

Check every 10000 km/ 12 months

**TRANSFERBOX**  
Capacity: 0,5 liter

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Normal                    |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Gearlube LS 80W-90</b> |  |          |

Check every 15000 km/ 12 months, change every 75000 km

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Severe                    |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Gearlube LS 80W-90</b> |  |          |

Check every 10000 km/ 12 months, change every 75000 km

**TRANSMISSION CVT** Jatco 1/1  
Capacity: 7,8 liter (Dry fill), Capacity: 6 liter (Service fill)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Matic 4016</b>     |  |          |

Check every 15000 km/ 12 months

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Severe                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Matic 4016</b>     |  |          |

Check every 10000 km/ 12 months

# CITROËN C-CROSSER C-CROSSER 2.4 16V

(2007-2009)



## HYDRAULIC BRAKE/CLUTCH SYSTEM

Capacity: 0,8 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1         | PRODUCT RECOMMENDATION 2  |  |
|----------------------------------|---------------------------|--|
| <b>Drauliquid-LV Super DOT 4</b> | <b>Drauliquid-S DOT 4</b> |  |

Check every 15000 km/ 12 months, change every 24 months

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1         | PRODUCT RECOMMENDATION 2  |  |
|----------------------------------|---------------------------|--|
| <b>Drauliquid-LV Super DOT 4</b> | <b>Drauliquid-S DOT 4</b> |  |

Check every 10000 km/ 12 months, change every 24 months

## POWER STEERING

Capacity: 0,8 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |  |
|--------------------------|--------------------------|--|
| <b>SP Matic 4026</b>     | <b>SP Matic 2032</b>     |  |

Check every 15000 km/ 12 months

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |  |
|--------------------------|--------------------------|--|
| <b>SP Matic 4026</b>     | <b>SP Matic 2032</b>     |  |

Check every 10000 km/ 12 months

# CITROËN C-CROSSER C-CROSSER 2.4 16V

(2007-2009)



## COOLING SYSTEM

Capacity: 7,5 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant SP 14+***Check every 15000 km/ 12 months*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant SP 14+***Check every 10000 km/ 12 months*

| USE               | CLIMATE  |
|-------------------|----------|
| First change only | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant SP 14+***Change every 60000 km/ 48 months*

## AIRCONDITIONING COMPRESSOR

Capacity: 80 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

## AIRCONDITIONING SYSTEM

Capacity: 500 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*