CITROËN C5 C5 2.0 HDI (80 KW) (2000-2005)



ENGINE DW10ATED Capacity: 4,5 liter (+ airconditioning)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Presteza MSP 5W-30	Avanza MSP+ 5W-30	Avanza RPC 5W-30

Change every 20000 km/24 months

TRANSAXLE AUTOMATIC AL4 4/1 Capacity: 5,85 liter (Dry fill), Capacity: 3 liter (Service fill)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	
Check every 20000 km/ 24 months	·

TRANSAXLE MANUAL ML5T 5/1 Capacity: 1,8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	Gearlube RPC 75W-80	
Check every 60000 km/24 months		

HYDRAULIC SYSTEM POWER STEERIN Capacity: 4,3 liter	G/LEVELLING	
use Normal		climate Moderate
PRODUCT RECOMMENDATION 1 SP Fluid 3013		

Check every 20000 km/24 months, change every 200000 km/60 months

HYDRAULIC BRAKE/CLUTCH SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	
Check every 20000 km/24 months, ch	ange every 60000 km/ 24 months	

CITROËN C5 C5 2.0 HDI (80 KW) (2000-2005)



GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
Chock over 20000 km/24 months	,	

Check every 20000 km/24 months

CLIMATE
Moderate

Check every 20000 km/24 months, change every 120000 km/60 months

PARTICLE FILTER ADDITIVE SYSTEM

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.